

# SAFETY DATA SHEET

Date Issued : 05/06/2015

SDS No : ProVet Logic Professional LLC\_Organic Acid Cleaner

## Organic Acid Cleaner

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Organic Acid Cleaner  
**GENERAL USE:** Cleaning toilets, urinals, ceramic tile and restroom fixtures.  
**PRODUCT DESCRIPTION:** Organic Acid Restroom Cleaner  
**CHEMICAL FAMILY:** Acid/detergent blend

#### DISTRIBUTOR

ProVetLogic LLC  
2941 Veterans Drive, Ste. A  
Scottsboro, AL 35769  
**Customer Service:** 256-259-0632

#### 24 HR. EMERGENCY TELEPHONE NUMBERS

**CHEM-TEL (Medical and Transportation):** 800-255-3924  
**POISON CONTROL CENTER (Medical):** 800-222-1222

### 2. HAZARDS IDENTIFICATION

#### GHS CLASSIFICATIONS

##### Health:

Serious Eye Damage, Category 1  
Skin Irritation, Category 2

##### Physical:

Flammable Liquids, Category 4

#### GHS LABEL



Corrosion

**SIGNAL WORD:** DANGER

#### HAZARD STATEMENTS

H318: Causes serious eye damage.  
H315: Causes skin irritation.  
H227: Combustible liquid.

#### PRECAUTIONARY STATEMENT(S)

##### Prevention:

P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P264: Wash hands thoroughly after handling.  
P234: Keep only in original packaging.  
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

##### Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310: Immediately call a POISON CENTER or doctor/physician.  
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
P363: Wash contaminated clothing before reuse.  
P301+P312: IF SWALLOWED: Call a POISON CENTER/ doctor/...if you feel unwell.  
P390: Absorb spillage to prevent material damage.  
P370+P378: In case of fire: Use dry chemical, foam or water mist to extinguish.

##### Storage:

P405: Store locked up.  
P406: Store in a corrosion resistant plastic container or a metal container with a resistant inner liner.  
P403+P235: Store in a well-ventilated place. Keep cool.

##### Disposal:

P501: Dispose of contents/container according to all local, state and Federal regulations.

#### EMERGENCY OVERVIEW

**PHYSICAL APPEARANCE:** Green liquid

**IMMEDIATE CONCERNS:** Severe eye irritant and may cause permanent eye damage. Skin irritant.

## POTENTIAL HEALTH EFFECTS

**EYES:** Corrosive to the eyes and may cause severe damage including blindness.

**SKIN:** Contact may cause moderate to severe irritation.

**SKIN ABSORPTION:** None Expected.

**INGESTION:** Although of moderate to low toxicity, ingestion of large amounts can cause gastrointestinal irritation, nausea, vomiting, diarrhea.

**INHALATION:** Mist is irritating to nose, throat and lungs.

## REPRODUCTIVE TOXICITY

**REPRODUCTIVE EFFECTS:** No known significant effects or critical hazards.

**TERATOGENIC EFFECTS:** No known significant effects or critical hazards.

**CARCINOGENICITY:** No known significant effects or critical hazards.

**MUTAGENICITY:** No known significant effects or critical hazards.

**ROUTES OF ENTRY:** Eye, skin, ingestion.

**CANCER STATEMENT:** None

**SENSITIZATION:** No known significant effects or critical hazards.

**WARNING CAUTION LABELS:** Corrosive

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Hydroxyacetic Acid	5 - 10	79-14-1
Alkyl Polyglucoside C8-16	10 - 15	68515-73-1
Propylene Glycol n-butyl Ether	10 - 15	5131-66-8
Dye	< 0.1	TS
Water	60 - 70	7732-18-5

**COMMENTS:** If CAS number is "TS", the specific chemical identity has been withheld as a trade secret.

## 4. FIRST AID MEASURES

**EYES:** Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention immediately.

**SKIN:** Remove contaminated clothing. Immediately flush with water followed by washing with mild soap. Seek medical attention.

**INGESTION:** Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

**INHALATION:** Remove victim to fresh air and monitor. Seek medical advise if irritation persists.

### SIGNS AND SYMPTOMS OF OVEREXPOSURE

**EYES:** Severe burning sensation, damage marked by burns.

**SKIN:** Burning sensation, redness.

**INGESTION:** Irritation of mouth, throat, along with stomach upset, vomiting.

**INHALATION:** Irritation of nose, throat and lungs with coughing, sneezing, possible difficulty breathing.

**ACUTE EFFECTS:** Corrosive to eyes. Causes moderate to severe skin irritation. Harmful if swallowed.

**CHRONIC EFFECTS:** Not Established

**NOTES TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

## 5. FIRE FIGHTING MEASURES

**FLAMMABLE CLASS:** IIIA (140-200F)

**GENERAL HAZARD:** Combustible Liquid

**EXTINGUISHING MEDIA:** Use Dry chemical, carbon dioxide, or water spray when fighting fires involving this material.

**HAZARDOUS COMBUSTION PRODUCTS:** Carbon monoxide from combustion

**EXPLOSION HAZARDS:** Fire exposed containers may burst due to increased pressure from heat.

**FIRE FIGHTING PROCEDURES:** Keep fire exposed containers cool with water stream or mist.

**FIRE FIGHTING EQUIPMENT:** Not Available

**HAZARDOUS DECOMPOSITION PRODUCTS:** Thermal decomposition can lead to release of irritating gases and vapors.

## 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Avoid walking in product. Wipe up or otherwise flush small spills to sanitary sewer.

**LARGE SPILL:** Avoid walking in material. Prevent product from entering into stream, soil, storm sewer or other bodies of water.

### ENVIRONMENTAL PRECAUTIONS

**WATER SPILL:** Avoid discharges into open waterways.

**LAND SPILL:** Avoid discharge to soil.

**AIR SPILL:** NA = Not Applicable

**GENERAL PROCEDURES:** Isolate spill or leak area immediately. Keep unauthorized personnel away. Do not touch or walk through

spilled material. Prevent entry into waterways, sewers, or confined areas. Absorb with dry earth, sand or other non-combustible material and transfer to containers.

**SPECIAL PROTECTIVE EQUIPMENT:** Eye protection, rubber gloves, rubber boots to protect feet.

## 7. HANDLING AND STORAGE

**GENERAL PROCEDURES:** Close container after use.

**HANDLING:** Avoid contact with skin and eyes. Wash hands before eating, drinking, smoking or using toilet facilities.

**STORAGE:** Store in closed container in an area inaccessible to children.

**STORAGE TEMPERATURE:** Store at ambient temperatures.

**STORAGE PRESSURE:** Store at ambient atmospheric pressure.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)				
Chemical Name	Type		EXPOSURE LIMITS	
			ppm	mg/m <sup>3</sup>
Hydroxyacetic Acid	OSHA PEL	TWA	NL	NL
		STEL	NL	NL
	Supplier OEL	TWA	NL	10 mg/m <sup>3</sup>
		STEL	NL	NL
Propylene Glycol n-butyl Ether	Supplier OEL	TWA	50	

### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Chemical splash goggles.

**SKIN:** Rubber or other chemical resistant gloves.

**RESPIRATORY:** A respirator is not needed under normal and intended conditions of product use.

**WORK HYGIENIC PRACTICES:** Wash with soap and water after handling. Do not eat, drink or smoke while using product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL STATE:** Liquid

**ODOR:** Solvent, characteristic

**ODOR THRESHOLD:** Not Established

**COLOR:** Green

**pH:** 2.0 to 3.0

**PERCENT VOLATILE:** >70

**FLASH POINT AND METHOD:** ~ 87.8°C (190°F)

**FLAMMABLE LIMITS:** Not established to Not established

**AUTOIGNITION TEMPERATURE:** NA = Not Applicable

**VAPOR PRESSURE:** < 20 mm Hg at (68°F)

**VAPOR DENSITY:** 1 Air = 1

**BOILING POINT:** 212° F; 100° C

**FREEZING POINT:** 32° F; 0° C

**MELTING POINT:** Not Available

**THERMAL DECOMPOSITION:** Not Available

**SOLUBILITY IN WATER:** Complete

**EVAPORATION RATE:** (Water =1) 1.0

**DENSITY:** 8.79

**SPECIFIC GRAVITY:** ~ 1.053 grams/ml.

**VISCOSITY:** Water thin.

**(VOC):** 1 % by weight

## 10. STABILITY AND REACTIVITY

**REACTIVITY:** Stable

**HAZARDOUS POLYMERIZATION:** Will not occur.

**CONDITIONS TO AVOID:** None known.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**INCOMPATIBLE MATERIALS:** Strong alkalis, oxidizers, chlorine Bleach

## 11. TOXICOLOGICAL INFORMATION

### ACUTE TOXICITY

Chemical Name	ORAL LD <sub>50</sub> (rat)	DERMAL LD <sub>50</sub> (rabbit)	INHALATION LC <sub>50</sub> (rat)
Hydroxyacetic Acid	2040 mg/kg (rat)	Not available	3.6 mg/l (Rat), Aerosol
Alkyl Polyglucoside C8-16	> 5000 mg/kg (rat)	> 5000 mg/kg (rabbit)	
Propylene Glycol n-butyl Ether	2124 to 2700 mg/kg (rat)	> 2000 mg/kg (rabbit)	

**DERMAL LD<sub>50</sub>:** Not Established

**ORAL LD<sub>50</sub>:** Not Established

**INHALATION LC<sub>50</sub>:** Not Established

**SKIN CORROSION/IRRITATION:** Corrosive

**RESPIRATORY OR SKIN SENSITISATION:** Not Established

**GERM CELL MUTAGENICITY:** No known significant effects or critical hazards.

### CARCINOGENICITY

**IARC:** No listed substance

**REPRODUCTIVE TOXICITY:** No known significant effects or critical hazards.

**STOT-SINGLE EXPOSURE:** No known significant effects or critical hazards.

## 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL DATA:** Not Established

**ECOTOXICOLOGICAL INFORMATION:** Not Established

### AQUATIC TOXICITY (ACUTE)

**96-HOUR LC<sub>50</sub>:** Not Established

**Notes:** Practically nontoxic

**CHEMICAL FATE INFORMATION:** Not yet Determined

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Any method in accordance with local, state and federal laws. Best method is to recycle or reuse for intended purpose. Small amounts (less than 1 gallon) may be diluted with copious amounts of water and disposed of into sanitary sewer.

**FOR LARGE SPILLS:** Consult with local and state authorities for large volume disposal.

**PRODUCT DISPOSAL:** Small quantities (less than 1 gallon) of used material may be flushed to sanitary sewer with copious amounts of water. Larger quantities must be disposed of by a licensed disposal company.

**EMPTY CONTAINER:** Rinse container with clear water. Offer container for recycling, or dispose of in trash.

**RCRA/EPA WASTE INFORMATION:** Corrosive

**RCRA HAZARD CLASS:** C

## 14. TRANSPORT INFORMATION

### DOT (DEPARTMENT OF TRANSPORTATION)

**PROPER SHIPPING NAME:** Cleaning Compound, not regulated (for US domestic shipment only)

**TECHNICAL NAME:** Based on available data, the classification criteria are not met.

### AIR (ICAO/IATA)

**SHIPPING NAME:** Contact manufacturer for more information.

### VESSEL (IMO/IMDG)

**SHIPPING NAME:** Contact manufacturer for more information.

## 15. REGULATORY INFORMATION

### UNITED STATES

#### SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

**311/312 HEALTH HAZARDS:** Health - Acute

**313 REPORTABLE INGREDIENTS:** No listed substance

#### 302/304 EMERGENCY PLANNING

**EMERGENCY PLAN:** No listed substance

#### CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

**CERCLA REGULATORY:** No listed substance

#### TSCA (TOXIC SUBSTANCE CONTROL ACT)

**TSCA REGULATORY:** All ingredients are listed on the TSCA Chemical Inventory.

**CALIFORNIA PROPOSITION 65:** No listed substance

**CARCINOGEN:** No listed substance

## 16. OTHER INFORMATION

**REASON FOR ISSUE:** SDS reviewed with no changes - 01/04/2021

APPROVED BY: Regulatory Department


PREPARED BY: Regulatory Affairs Department

Date Prepared: 05/06/2015

**HMIS RATING**

<b>HEALTH</b>	<input type="text"/>	<b>3</b>
<b>FLAMMABILITY</b>	<input type="text"/>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<input type="text"/>	<b>0</b>
<b>PERSONAL PROTECTION</b>	<input type="text"/>	<b>B</b>

**NFPA CODES**



**MANUFACTURER DISCLAIMER:** This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of the product either alone or in combination with other products. It is the responsibility of the employer and/or user to provide a safe workplace, using health and safety information contained herein as a guide. This company will accept no liability for damages or losses incurred from the improper handling and use of this product.