

#### **MOST FREQUENT USE**

**RETAIL** 

HOSPITALITY

**CLEANING CONTRACTORS** 

**EDUCATION** 



INTUITIVE CONTROL PANEL



SEPARATE DETERGENT DOS-ING SYSTEM (OPTIONAL)



"V" SHAPED SQUEEGEE

#### **AUTOMATIC SCRUBBERS - WALK-BEHIND**

# **CT90**

The CT90 is designed to clean medium to large areas quickly, but still maintain the maneuverability and ease of use of the other IPC Eagle scrubbers. With a very compact design, the CT90 will clean up to 65,000 square feet in a single battery charge.

**MAX PRODUCTIVITY** 

 $27,000-31,000 \text{ ft}^2/\text{h}$ 

BATTERIES RUNNING

3.0 - 3.7<sub>h</sub>

**KEY SPECS** 

24/25 gal

28", 32" brush drive



### **INNOVATIONS**



# CT90: SIMPLE MACHINE, HIGH PRODUCTIVITY



# **LARGE CAPACITY**

The CT90 has a small design, with only a 28" and 32" cleaning path, but it has an extra large tank capacity (24 gallon solution tank and 25 gallon recovery tank) that makes the machine very unique within its category.



## **PRODUCTIVE**

Even though the CT90 is compact, productivity is not compromised. The CT90 can clean up to **27,000 square feet per hour and 70,000 square feet per charge**, which is significantly faster than mopping floors. While being able to clean fast, the CT90 cleans more effectively than mops and can remove much more dirt and grime than mops.



The CT90 was designed to be very simple for its operators. It has easy controls, it isn't difficult to maneuver and it has a **spin-on**, **spin-off brush**.



### **SUSTAINABLE**

The CT90 features solution control with automatic stop, in which the solution flow stops and starsts upon brush activation. The features helps the scrubber to save water and chemicals.





The CT90 is constructed of a **high density polyethylene** that helps hold up in tougher environments. The panel control switches are protected against water and humidity and the squeegee system is designed to absorb harsh impact.



1. EASY ACCESS

The CT90 is designed to make it very simple to access the internal compartments.



2. TILTABLE TANK

The CT90's tank is able to be tilted back, which makes it easy to rinse and clean with smooth internal finishes.



## 3. BRUSH CONTROL

The CT90 has brush control with automatic delayed stop that saves brush wear and protects the floor surface.



4. SPIN-ON, SPIN-OFF BRUSH

The CT90 is equipped with a spinon, spin-off brush that easily can connect and disconnect the brush, with no tools needed.



5.OIL BATH
REDUCTION GEAR BOX



# 6. EXCLUSIVE SQUEEGEE SYSTEM

The CT90 has an exclusive squeegee system that ensures high performance as well as incomparable drying results on any



### 7. ANTI-FOAM SYSTEM

The CT90 has an anti-foam system with special electromechanical suction motor protection.



# 8. OPTIONAL CHEM DOSE

The scrubber uses a wrap around squeegeethat allows it to pick up and clean while turning right.

#### CT90 TECHNICAL SPECIFICATIONS

		CT90 BT70 TRACTION	CT90 BT85 TRACTION
Max theoretical productivity	ft²/h - m²/h	27,000 ft <sup>2</sup> / 3,150 m <sup>2</sup>	31,000 ft <sup>2</sup> / 3,825 m <sup>2</sup>
Cleaning path	in / mm	28"/ 700 mm	32"/ 850 mm
Water tank capacity (solution recovery)	gal/ l	24/25 gal - 90/94 l	24/25 gal - 90/94 l
Max running time	Min	220	220
Voltage	V	24 (4 x 6)	24 (4 x 6)
Installed power	W	480	480
Squeegee width	in/ mm	37 in/ 942 mm	37 in/ 942 mm
Max speed	mph/ kph	2.6 mph/ 4.2 kph	2.6 mph/ 4.2 kph
Weight (w/o batteries)	lbs/ kg	217 lbs/98.4 kg	229 lbs/ 104 kg
Dimensions (l x w x h)	in/ mm	52 x 27 x 40 in	57 x 35 x 40 in
Noise level	dB	71 dB	71 dB

#### **GET RIGHT SIZED**

	Description	Continuous run-time	Theoretical ft <sup>2</sup> / h	Maximum Theoretical ${ m ft}^2/{ m charge}$	Ft <sup>2</sup> charge efficiency (70%)
CT90BT70	Traction Drive, 240ah Battery	3.7	26,988	99,857	69,900
CT90BT85	Traction Drive 225 AGM Battery				
CT90BT70	Traction Drive, 240ah Battery	3.7	30,844	114,122	79,855
CT90BT85	Traction Drive 225 AGM Battery				

#### **AVAILABLE ACCESSORIES**

PAD DRIVER SPPV01228 (14"), SPPV01234 (16")

NYLON BRUSH SPPV01472 (14"), SPPV01516 (16")

TYNEX BRUSH SPPV01475 (14") SPPV01517 (16")

**NATURAL BRISTLE** BRUSH SPPV01478 (14")

SPPV01385 (16")



**CHEM DOSE KIT** 

KTRI00763

6225V AGM 6V225-AGM











**SQUEEGEES** PMVR02239 (COMPLETE) MPVR08040 (FRONT) MPVR08036 (REAR)



**BATTERY WATERING** SYSTEM CR-BWS-L-4



