



Kentucky Cleaning Solutions, LLC, DBA

**BLUEGRASS** 

**JAN/SAN & PAPER SUPPLIES**

FRANKFORT, KY

## BULHEAD SAFETY PRODUCTS

COMFORT

PROTECTION

PERFORMANCE

# Table of Contents

## GUIDES

Eyewear .....	2	Hearing Protection.....	56
Hard Hats.....	44	Cooling .....	52

## EYEWEAR

### Standard

#### Half-Frame

Swordfish .....	18-19
SwordfishX.....	17
Mojarra.....	27
Wahoo.....	30
Picuda.....	37
Kaku.....	38

#### Full-Frame

Acerro .....	13
Dorado .....	20-21
Maki .....	22-23
Pompano .....	16
Sawfish .....	14-15

### Frameless

Bass.....	37
Discus .....	32
Snipefish .....	30
Pavon.....	33
Torrent.....	34-35

### Vented

Stinger .....	24-25
Spearfish.....	28-29

### Wrap-Around

Javelin.....	26
--------------	----

### Foam-Lined

Steelhead Foam-Lined .....	31
Torrent Foam-Lined .....	36

### Special Styles

Convertibles.....	40-41
Welding.....	36
Polarized.....	10
Photochromic.....	11
Readers .....	12-13
Over-the-Glass .....	38
Goggles .....	39
Displays .....	43
Accessories .....	42

## HEAD PROTECTION

### Hard Hats

Climbing Helmets .....	45
Full Brim .....	46
Cap Style	
Unvented with Ratchet Suspension.....	47
Unvented with Slide Lock Suspension.....	48
Vented with Ratchet Suspension.....	48
Bump Caps.....	49
Baseball-Style Bump Caps .....	49
Face Shields.....	50
Accessories .....	51

### Head and Face Protection

Winter Liners.....	54
Balaclavas .....	55

## HEARING PROTECTION


Earplugs .....	57
Earmuffs .....	58
Dispensers and Refill Kits .....	59

## COOLING, HEAT STRESS PROTECTION

Vests and Neck Shades .....	52
Towels.....	53
Headbands and Shades .....	53

# Lens Selection Guide

All Bullhead Lenses Feature:




\*Sources of blue light include the sun, digital screens (TVs, computers, laptops, smart phones, and tablets), and fluorescent and LED lighting.

**Don't settle for anything less than the clearest, sharpest, most accurate vision.**


All Bullhead lenses are made from high quality polycarbonate and exceed the testing standards of ANSI (American National Standards Institute), the yardstick of performance for the eyewear industry.

- Clarity test measures the sharpness of images viewed through the lenses
- Refractive power test measures how inferior lenses distort by magnifying images
- Prism test measures how the lenses bend light and make objects appear shifted from their true position

# Precision Lens



- Bullhead precision lenses block blue rays, which reduces eyestrain, increases visual acuity, and protects from the long-term effects of blue light exposure.
- Short-wave length, high-energy blue light rays in the 450 to 495 nanometer range penetrate the light sensitive retina in the back of the eye. The remaining visible light spectrum is filtered at the lens of the eye. Sources of blue light include the sun, digital screens (TVs, computers, laptops, smart phones, and tablets), and fluorescent and LED lighting.
- Short term exposure to blue light rays causes eyestrain, and long term exposure causes retinal damage which contributes to macular degeneration.



# Ballistic Rated



- Bullhead Safety® glasses exceed ANSI Z87.1-2020 standards
- Select Bullhead Safety® glasses also meet the military specification for ballistic fragmentation impact
- Ballistic rated safety glasses can withstand up to 6 times more impact energy than those passing ANSI Z87.1 testing



0.15 Caliber, 5.85 Grain cylindrical projectile made of cold rolled, annealed steel traveling at 660 feet per second.



# Arc Flash Rated



## The first Arc Flash Rated safety glass

This Bullhead Swordfish® glass is the first safety glass to go through the entire ASTM F2178-17b Arc Rating and Standard Specification for Eye or Face Protective Products.



### Results:

Arc Rating (ATPV) = 4.9 Cal/cm<sup>2</sup>

Heat Attenuation Factor (HAF) = 70%

Hazard Risk Category (HRC) = 1 (minimum ATPV 4 Cal/cm<sup>2</sup>)



Swordfish® **BH10616AF** - pg. 18

# Arc Flash Tested



Several Bullhead Safety® eyewear styles have been Arc Flash tested to 35 Cal/cm<sup>2</sup> without ignition or melting and meet minimum requirements for Arc Flash Testing. These styles may be suitable for complying with ASTM F1506, NFPA 70E, and CSA Z462 Workplace electrical safety requirements. An arc flash is an electrical explosion caused by an arcing fault, resulting in a rapid release of energy.

## WHAT is Arc Flash Testing?

An arc flash is an electric arc explosion from an arcing fault which produces both radiant and convective heat with the potential to ignite clothing and burn workers.

The purpose of the test is to observe the response characteristics of safety glasses when exposed to an open-air electric arc.

Arc flash testing is performed to determine a product or material's response to an electrical arc event by establishing an arc rating.

## WHY Arc Flash Tested?

The most serious injuries typically occur when clothing ignites – arc flash testing is performed to ensure clothing will not ignite when faced with an arc flash. Matching the PPE to the hazard most often results in no injury to the worker since arc hazard assessment is typically very conservative.

## WHO needs Arc Rating?

Arc flash testing is relevant for any worker potentially exposed to an electric arc generating a heat flux of >2 Cal/cm<sup>2</sup>. Anyone with exposure to electrical hazards must have arc rated PPE available, as mandated by OSHA.

## This is what happens when an arc flash occurs:

- ⦿ Pressures generated 100's: 1,000's lb/ft<sup>2</sup>
- ⦿ Sounds due to pressure waves can exceed 160 dB
- ⦿ Debris and molten metal can reach speeds that exceed 700 mph
- ⦿ The flash can reach temperatures in excess of 30,000 degrees Fahrenheit
- ⦿ Extreme temperatures can vaporize copper wires with an estimated expansion of 67,000:1

## Arc Flash Tested Styles:



Swordfish® - pg. 12, 18-19



Dorado® - pg. 20-21



Maki® - pg. 22-23



Bass™ - pg. 37



Spearfish® - pg. 13, 28-29



Mojarra® - pg. 27



Stinger® - pg. 24-25

PLEASE NOTE: The safety glasses and base materials tested are not arc rated. The arc testing performed is to determine at what cal exposure ignition or melting of the frame and lens occur. The lenses do not offer eye protection from arc exposure.

# Measuring and Ergonomic Fit

It is extremely important safety eyewear fit properly



A proper fitting safety glass ensures comfort, increased productivity and enhances safety to reduce the risk of costly eye injuries. A simple measurement is all that is needed to help determine the proper fit. Another consideration when choosing the right pair of Bullhead Safety® eyewear is the lens base curve.


A lens base curve is the measure of the general shape of the lens. The higher the base curve, the more curvature there is in a lens, the more curvature the lens has the more it wraps around the face, creating more coverage and increasing side protection.



**All Bullhead Safety® eyewear offers the comfort of 3-point fit**


- Ensures each frame makes contact only at the bridge of the nose and behind the temples
- Maintains optics in perfect alignment for a clear view
- Maintains a secure and comfortable fit for all day wear

## Measure



Using a straight millimeter ruler measure from temple to temple.

## Fit



## Base Curve



The tables below will help you determine which Bullhead Safety® eyewear styles will best fit your needs.

(120 mm - 134 mm) Trim Fit		
Style	Base Curve	Page
Discus	10	32
Maki	8	22-23
Sawfish	8	14-15
Swordfish	8	12, 18-19
SwordfishX	9.5	17
Over-The-Glass-2	2	38
Convertible - CG5	10	41

FL = Foam-Lined

(135 mm - 138 mm) Standard		
Style	Base Curve	Page
Bass	9.5	37
Javelin	8	26
Pavon	10	33
Picuda	9	37
Pompano	8	16
Steelhead FL	8	31
Torrent	10	12, 34-35
Torrent FL	10	36
Torrent Welding	10	36
Wahoo	9	30
Convertible - CG4	7	40

(139 mm - 143 mm) Wide		
Style	Base Curve	Page
Acero	8	13
Dorado	8	20-21
Kaku	4	38
Over-The-Glass	2	38
Snipefish	8	30
Stinger	9	24-25
Spearfish	8	13, 28-29

# Frame Technology Bullhead Safety® eyewear is put to the test



**BHR3**



Still hanging after four years!

These Bullhead Safety® Dorado® style glasses, along with the Bullhead Stainless Steel Retainer Cord have stood for four years with 20 pounds of weight tied over the bridge of the frame!

Bullhead Safety® eyewear is made with the highest quality polycarbonate. Formulated for high durability, the lightweight, space-age strength of Bullhead glasses frames provide superior protection and a high-level of comfort. Using the best polycarbonate on the market ensures that frames and temples are durable and virtually defect free.



Dorado® **BH95129PFT** - pg. 20

Bullhead Safety® **BHR3** - pg. 42

Stainless Steel Retainer Cord  
This cord was used to hold up the 20 lbs of weight during the test!



In addition to being extremely strong and durable, several styles of Bullhead Safety® eyewear feature a permanent foam lining or can be equipped with an optional removable foam lining to block fine airborne particles from entering the eyes from under or around the frame. Foam liners also provide a cushion around the eye, preventing injury if an impact were to occur.

## Permanent Foam-Lined Styles



Steelhead® Foam-Lined - pg. 31



Torrent™ Foam-Lined - pg. 36

## Removable Foam-Lined Styles



Dorado® - pg. 20-21



Maki® - pg. 22-23



Sawfish™ - pg. 14-15



Stinger® - pg. 24-25



Stinger® - pg. 24-25

## Convertible Foam-Lined Styles



CG4 - pg. 40



CG5 - pg. 41

# Frame Styles

Bullhead Safety® eyewear offers a variety of frame styles



Choosing the correct frame style for the application being performed is important. Comfort, personal style preference, coverage, weight of the frame, and the peripheral vision needed should also be considered when choosing eyewear.

## Full-Frame


Designed to be used as a barrier against the most intense sun. Full frames help deflect rays from direct and reflected sunlight.



Pompano™ .....page 16    Sawfish™ .....page 14-15  
Dorado® .....page 20-21    Acero® .....page 13  
Maki® .....page 22-23

## Half-Frame

Provides an unobstructed horizontal and terrain view.



Swordfish®X .....page 17    Wahoo® .....page 30  
Swordfish® .....page 12, 18-19    Picuda® .....page 37  
Mojarra® .....page 27    Kaku® .....page 38

## Frameless

Designed for a unobstructed 360 degree orbital field of view.



Snipefish® .....page 30    Torrent™ .....page 12, 34-36  
Discus™ .....page 32    Pavon® .....page 33  
Bass™ .....page 37

## Vented

Similar to the half-frame, vented frames feature properly placed ventilation ports to reduce fogging.



Stinger® .....page 24-25  
Spearfish® .....page 13, 28-29

## Foam-Lined

Features a permanent closed cell foam-liner to protect from airborne particles and debris.



Steelhead® Foam-Lined .....page 31  
Torrent™ Foam-Lined .....page 36

## Wrap-Around

Close fitting with superior orbital protection. Designed to offer frame flexibility to fit a wider range of head sizes.



Javelin™ .....page 26



# Performance Fog Technology

The next generation of anti-fog presents consistently clear, fogless performance... even after washing, wiping, and wear.

PERFORMANCE FOG TECHNOLOGY



Cloudy, wet, difficult to see through  
**NO FOG PROTECTION**

Standard protective coating that combats fogging  
**ANTI-FOG PROTECTION**

Absorbs moisture and then spreads it consistently, providing clear, fog-free vision  
**PERFORMANCE FOG TECHNOLOGY (PFT)**

All Bullhead Performance Fog Technology styles meet the ANSI/ISEA Z87.1-2020 anti-fog standard for advanced protection against blurry and foggy vision.





### It only takes one moment

With fog-obscured vision, workers are at risk for eye injury and bodily harm. Productivity and compliance are also affected when glasses are removed to wipe away fog and condensation.

### The best defense against fogging

Performance fog technology is a water washable, hydrophilic anti-fog coating cured and permanently bonded to lens. The coating absorbs moisture and then spreads it consistently, providing clear, fog-free vision.

Easy to clean and smooth to the touch, performance fog technology lenses provide impact, abrasion, UV, and chemical resistance. They have been tested to EN166K, EN166N, and EN166UV standards and provide exceptional optical quality.

- |   |                                      |  |  |
|---|--------------------------------------|--|--|
|    | Sawfish™ <b>BH26718PFT</b> - pg. 15  |    | Swordfish®X <b>BH25116PFT</b> - pg. 17   |
|    | Sawfish™ <b>BH26719PFT</b> - pg. 15  |    | Stinger® <b>BH691PFT</b> - pg. 25  |
|   | Sawfish™ <b>BH26613PFT</b> - pg. 14  |   | Stinger® <b>BH633PFT</b> - pg. 24  |
|  | Sawfish™ <b>BH2679PFT</b> - pg. 14   |  | CG5-Convertible <b>BH3061PFT</b> - pg. 41  |
|  | Dorado® <b>BH991PFT</b> - pg. 21     |  | CG5-Convertible <b>BH3066PFT</b> - pg. 41  |
|  | Dorado® <b>BH943PFT</b> - pg. 20     |  | CG5-Convertible <b>BH3063PFT</b> - pg. 41  |
|  | Dorado® <b>BH95129PFT</b> - pg. 20   |  | Spearfish® <b>BH2251PFT</b> - pg. 28   |
|  | Maki® <b>BH1431PFT</b> - pg. 23      |  | Spearfish® <b>BH2253PFT</b> - pg. 28   |
|  | Maki® <b>BH1433PFT</b> - pg. 22      |  | Spearfish® Readers <b>BH225115PFT</b> - pg. 13<br>*AVAILABLE IN THREE VARIATIONS |
|  | Swordfish® <b>BH1031PFT</b> - pg. 19 |  | Spearfish® Readers <b>BH225315PFT</b> - pg. 13<br>*AVAILABLE IN THREE VARIATIONS |
|  | Swordfish® <b>BH1063PFT</b> - pg. 18 |  | Pavon® <b>BH511PFT</b> - pg. 33  |
|  | Pompano™ <b>BH2769PFT</b> - pg. 16   |  | Torrent™ <b>BH111PFT</b> - pg. 35  |
|  | Pompano™ <b>BH27710PFT</b> - pg. 16  |  | Torrent™ <b>BH133PFT</b> - pg. 34  |

# Polarized

Reduce eye fatigue and enhance visual acuity with Bullhead 360 polarized lenses



NON-POLARIZED LENS

Filters out the bent light caused by sunlight reflecting off surfaces  
**POLARIZED**



Sawfish™ **BH26719PFT** - pg. 15



Sawfish™ **BH26718PFT** - pg. 15



Sawfish™ **BH2679PFT** - pg. 14



Pompano™ **BH27710PFT** - pg. 16



Pompano™ **BH2769PFT** - pg. 16



Swordfish®X **BH25116PFT** - pg. 17



Swordfish® **BH106129** - pg. 18



Swordfish® **BH1061213AF** - pg. 19



Dorado® **BH95129PFT** - pg. 20



Maki® **BH145712** - pg. 22



Maki® **BH14209** - pg. 23



Stinger® **BH61712** - pg. 25



Javelin™ **BH1251612** - pg. 26



Mojarra® **BH11711** - pg. 27



Wahoo® **BH161012** - pg. 30

Variable Tint/Photochromic lenses shield your eyes from 100% of the sun's harmful UVA and UVB rays

# Variable Tint



Lenses remain light when there are no UV rays present  
**UNTINTED/ORIGINAL TINT**

Lenses darken when exposed to ultraviolet light or walking outdoors  
**DARKER TINT**



Sawfish™ **BH26718PFT** - pg. 15



Swordfish® **BH10613AF** - pg. 18



Sawfish™ **BH26613PFT** - pg. 14



Swordfish® **BH1061213AF** - pg. 19

# Indoor/Outdoor Copper Lens



Great for indoors but dark enough to be worn outdoors  
**PERFECT TINT**

Light copper base with flash mirror coating  
**BLOCKS BLUE LIGHT**

Enhances brightness of visible light, good for indoor and outdoor conditions  
**REDUCES EYE STRAIN**



Javelin™ **BH12714** - pg. 26



Dorado® **BH9711** - pg. 20



Swordfish® **BH10714** - pg. 19

# SWORDFISH<sup>®</sup> READERS

Frame Width: **132 mm** | Weight: **24 Grams** | Base Curve: **8**

**787+**

**BALLISTIC  
RATED**

**READER STYLE**

**ARC FLASH TESTED**



**LIGHTWEIGHT SPORT FRAME**  
provides maximum protection


**ADJUSTABLE NOSE PADS**  
for a customized fit

- BH106110** ..... 1.0 Bifocal Diopter
- BH106115** ..... 1.5 Bifocal Diopter
- BH106120** ..... 2.0 Bifocal Diopter
- BH106125** ..... 2.5 Bifocal Diopter

Lens **Clear**  
Frame Color **Matte Black**



**DUAL 8 BASE CURVE LENSES**  
for 100% visual clarity



**MAGNIFICATION  
DIOPTER**  
positioned at the  
bottom inside corner

- BH106310** ..... 1.0 Bifocal Diopter
- BH106315** ..... 1.5 Bifocal Diopter
- BH106320** ..... 2.0 Bifocal Diopter
- BH106325** ..... 2.5 Bifocal Diopter

Lens **Smoke**  
Frame Color **Matte Black**

# TORRENT<sup>™</sup> READERS

Frame Width: **135 mm** | Weight: **24 Grams** | Base Curve: **10**

**787+**

**READER STYLE**



**TRADITIONAL STYLING**  
for comfortable look and feel


**WRAP STYLE**  
for maximum protection  
and clarity

- BH11110** ..... 1.0 Bifocal Diopter
- BH11115** ..... 1.5 Bifocal Diopter
- BH11120** ..... 2.0 Bifocal Diopter
- BH11125** ..... 2.5 Bifocal Diopter

Lens **Clear**  
Frame Color **Frosted Clear**



**SINGLE-MOLD LENS**  
with 10 base curve



**MAGNIFICATION  
DIOPTER**  
positioned at the  
bottom inside corner

- BH13310** ..... 1.0 Bifocal Diopter
- BH113315** ..... 1.5 Bifocal Diopter
- BH113320** ..... 2.0 Bifocal Diopter
- BH113325** ..... 2.5 Bifocal Diopter

Lens **Smoke**  
Frame Color **Frosted Black**

Frame Width: 143 mm | Weight: 24 Grams | Base Curve: 8

# SPEARFISH<sup>®</sup> READERS



**VENTED TEMPLES**  
increase airflow to prevent fogging



**TPR NOSE PIECES AND TEMPLE ENDS**  
prevent eyewear from slipping



- BH225115PFT** ..... 1.5 Bifocal Diopter
- BH225120PFT** ..... 2.0 Bifocal Diopter
- BH225125PFT** ..... 2.5 Bifocal Diopter

- BH225315PFT** ..... 1.5 Bifocal Diopter
- BH225320PFT** ..... 2.0 Bifocal Diopter
- BH225325PFT** ..... 2.5 Bifocal Diopter



Retainer cord included with each pair of Spearfish<sup>®</sup> glasses.

Lens	Clear PFT
Frame Color	Shiny Black

**MAGNIFICATION DIOPTR**  
positioned at the bottom inside corner

Lens	Smoke PFT
Frame Color	Shiny Black

Frame Width: 140 mm | Weight: 35 Grams | Base Curve: 8

# ACERO<sup>®</sup>



**BH24213**

Lens	Smoke
Frame Color	Gunmetal

**COMFORT-FIT TEMPLES**  
prevent slipping

**DUAL 8 BASE CURVE LENSES**  
for full protection and visual correctness



**BH24217**

Lens	Silver Mirror
Frame Color	Gunmetal

**LIGHTWEIGHT AND COMFORTABLE**  
for style and high-quality protection

**ADJUSTABLE NOSE PADS**  
comfort-fit for maximum wearability



**BH24211**

Lens	Clear
Frame Color	Gunmetal

Z87+

DIELECTRIC

TPR TEMPLE ENDS  
prevent eyewear from slipping

PERFORMANCE FOG TECHNOLOGY LENS  
for permanent resistance against fogging



filter out harmful light reflection with  
**POLARIZED PRECISION LENSES**

**BH2679PFT**

Lens | Blue Mirror PFT Polarized  
Frame Color | Tortoise/Black



**BH2664**

Lens | High Contrast Rose  
Frame Color | Matte Black



**BH2677AF**

Lens | Silver Mirror Anti-Fog  
Frame Color | Tortoise/Black



**BH26613PFT**

Lens | Variable Tint PFT  
Frame Color | Matte Black



**BH2663AF**

Lens | Smoke Anti-Fog  
Frame Color | Matte Black



Frame Width: **132 mm** | Weight: **30 Grams** | Base Curve: **8**

# SAWFISH™



**ULTRA-LIGHT STYLE**  
features sleek curvature

**FULL-FRAME DESIGN**  
boasts chiseled lines



**INSET TPR NOSE BRIDGE**  
for all-day comfort

**BH26718PFT**



Lens | Variable Tint PFT Polarized  
Frame Color | Tortoise/Black



**BH26719PFT**



Lens | Gold Mirror PFT Polarized  
Frame Color | Tortoise/Black



**BH26G**



This removable foam gasket is designed to be easily clipped into the Sawfish™ glasses frame with two snaps.



**BH261016AF**



Lens | Green Mirror Anti-Fog  
Frame Color | Woodland Camo



**BH2661AF**



Lens | Clear Anti-Fog  
Frame Color | Matte Black



**Z87+**

**TPR TEMPLE ENDS**  
prevent eyewear from slipping

**SLEEK DESIGN**  
in a lightweight full-frame style

**POLYCARBONATE LENSES AND FRAME**  
for full ANSI-rated protection



**PERFORMANCE FOG TECHNOLOGY**  
lens permanently prevents fogging

**EMBEDDED TPR NOSE PIECES**  
to ensure eyewear stays put

**BH2769PFT**



Lens | **Ice Blue Mirror PFT Polarized**  
Frame Color | **Matte Black**



**BH27710PFT**



Lens | **Red Mirror PFT Polarized**  
Frame Color | **Tortoise/Black**



**BH27116AF**



Lens | **Green Mirror Anti-Fog**  
Frame Color | **Crystal Clear**



**BH2761AF**



Lens | **Clear Anti-Fog**  
Frame Color | **Matte Black**



**BH2763AF**



Lens | **Smoke Anti-Fog**  
Frame Color | **Matte Black**



**BH2766AF**




Lens | **Indoor/Outdoor Anti-Fog**  
Frame Color | **Matte Black**

Frame Width: 123 mm | Weight: 24 Grams | Base Curve: 9.5

**SWORDFISH<sup>®</sup>X**

287+



**TRIM-FIT STYLE**  
to fit smaller profiles

**9.5 BASE CURVE LENSES**  
for maximum protection and clarity

**ADJUSTABLE NOSE PADS**  
for a customized fit

**DISCONTINUED**

**BH25116PFT**



Lens | Green Mirror PFT Polarized  
Frame Color | Crystal Clear



**BH2519AF**



Lens | Blue Mirror Anti-Fog  
Frame Color | Crystal Clear



**BH2553AF**



Lens | Smoke Anti-Fog  
Frame Color | Shiny Black



**BH2551AF**



Lens | Clear Anti-Fog  
Frame Color | Shiny Black



**BH2556AF**



Lens | Indoor/Outdoor Anti-Fog  
Frame Color | Shiny Black



**BH25187**

Lens | Silver Mirror  
Frame Color | Shiny White

**Z87+**

**BALLISTIC RATED**

**ARC FLASH TESTED**

**LIGHTWEIGHT SPORT FRAME**  
provides maximum protection

**DUAL 8 BASE CURVE LENSES**  
for 100% visual clarity

**ADJUSTABLE NOSE PADS**  
for a customized fit



**BH10616AF**

**ARC FLASH RATED**

**ANTI - FOG**

Lens | **Green IR Shade 2.5 Anti-Fog**  
Frame Color | **Matte Black**



**BH10613AF**

**VARIABLE TINT**

**ANTI - FOG**

Lens | **Variable Tint Anti-Fog**  
Frame Color | **Matte Black**



**BH106129**

**POLARIZED**

**PRECISION LENS**

Lens | **Blue Mirror Polarized**  
Frame Color | **Matte Black**



**BH1067**

Lens | **Silver Mirror**  
Frame Color | **Matte Black**



**BH1063AF**

**ANTI - FOG**

Lens | **Smoke Anti-Fog**  
Frame Color | **Matte Black**



**BH1063PFT**

Lens | **Smoke PFT**  
Frame Color | **Matte Black**

**PERFORMANCE FOG TECHNOLOGY**

Frame Width: 132 mm | Weight: 24 Grams | Base Curve: 8

**SWORDFISH**<sup>®</sup>



**BALLISTIC-RATED STYLE**  
protects eyes against impacts

filter out harmful light reflections with  
**POLARIZED LENSES**

**VARIABLE TINT LENSES**  
darken when exposed to UV light

**BH1061213AF**



Lens | Variable Tint Polarized Anti-Fog  
Frame Color | Matte Black



**BH10116AF**



Lens | Green Mirror Anti-Fog  
Frame Color | Crystal Clear



**BH10714**



Lens | Indoor/Outdoor Copper  
Frame Color | Crystal Brown



**BH10711**



Lens | Brown Flash Mirror  
Frame Color | Crystal Brown



**BH1031AF**



Lens | Clear Anti-Fog  
Frame Color | Crystal Black



**BH1031PFT**



Lens | Clear PFT  
Frame Color | Crystal Black

# DORADO<sup>®</sup>

Frame Width: **140 mm** | Weight: **29 Grams** | Base Curve: **8**

**Z87+**

**BALLISTIC  
RATED**

**ARC FLASH TESTED**



**COMFORT-FIT TEMPLES**  
prevent eyewear from slipping

**WIDE-FIT FRAME**  
to fit a variety of face sizes

**CONTEMPORARY FULL FRAME**  
for improved protection

**BH95129PFT**

**POLARIZED**

**PRECISION LENS**

**PERFORMANCE FOG TECHNOLOGY**

Lens	Blue Mirror PFT Polarized
Frame Color	Shiny Black



**BH943PFT**

**PERFORMANCE FOG TECHNOLOGY**

Lens	Dark Smoke PFT
Frame Color	Crystal Black



**BH943AF**

**ANTI - FOG**

Lens	Dark Smoke Anti-Fog
Frame Color	Crystal Black



**BH9711**

**PRECISION LENS**

Lens	Indoor/Outdoor Copper
Frame Color	Crystal Brown



**BH9187**

Lens	Silver Mirror
Frame Color	Shiny White

Frame Width: **140 mm** | Weight: **29 Grams** | Base Curve: **8**

# DORADO<sup>®</sup>



**LIGHTWEIGHT POLYCARBONATE FRAME**  
for ANSI-rated protection

**COMFORT-FIT RUBBER NOSE PIECES**  
provide maximum comfort

**DUAL LENSES**  
for 100% visual correctness

**BH9117**

Lens | **Silver Mirror**  
Frame Color | **Red to Black**



**BH969**

Lens | **Blue Mirror**  
Frame Color | **Matte Black**



**BH9G**

Optional removable flame-resistant foam gasket is available for all Dorado<sup>®</sup> safety glasses.



**BH991PFT**

Lens | **Clear PFT**  
Frame Color | **Shiny Pearl Gray**



**BH991AF**

Lens | **Clear Anti-Fog**  
Frame Color | **Shiny Pearl Gray**



Z87+

BALLISTIC RATED

ARC FLASH TESTED



**SPORT-INSPIRED DESIGN**  
for a fashionable look

**DUAL-INJECTED TPR ENDS**  
for a slip-free experience

**CLOSED-CELL EVA FOAM INSERT**  
optional removable protection from particles

### BH1419AF



Lens | **Blue Mirror Anti-Fog**  
Frame Color | **Crystal Clear**



### BH145712



Lens | **Silver Mirror Polarized**  
Frame Color | **Shiny Black**



### BH1433PFT



Lens | **Smoke PFT**  
Frame Color | **Crystal Black**



### BH14183AF



Lens | **Smoke Anti-Fog**  
Frame Color | **Shiny White**



### BH14187AF



Lens | **Silver Mirror Anti-Fog**  
Frame Color | **Shiny White**




### BH1433AF



Lens | **Smoke Anti-Fog**  
Frame Color | **Crystal Black**

Frame Width: **130 mm** | Weight: **31 Grams** | Base Curve: **8**

# MAKI®



**PERFORMANCE FOG TECHNOLOGY**  
lens permanently prevents fogging

**EMBEDDED RUBBER NOSE PIECES**  
to ensure eyewear stays put

**OPTIONAL FOAM GASKETS**  
for protection from particles

**BH1431PFT**



Lens | Clear PFT  
Frame Color | Crystal Black



**BH14G**



Optional removable flame-resistant foam gasket is available for all Maki® safety glasses.



**BH1431AF**



Lens | Clear Anti-Fog  
Frame Color | Crystal Black



**BH14209**



Lens | Blue Mirror Polarized  
Frame Color | Silver Inlay



**BH1478AF**



Lens | Brown Anti-Fog  
Frame Color | Crystal Brown



**BH1411AF**



Lens | Clear Anti-Fog  
Frame Color | Crystal Clear



**BH1466AF**



Lens | Indoor/Outdoor Anti-Fog  
Frame Color | Matte Black



# STINGER<sup>®</sup>

Frame Width: **142 mm** | Weight: **30 Grams** | Base Curve: **9**

**Z87+**

**BALLISTIC  
RATED**

**ARC FLASH TESTED**

**RIGID FLARED TEMPLE ENDS**  
for a secure fit

**RUGGED DESIGN**  
for maximum impact resistance

**SOFT NOSE PIECES**  
prevent eyewear from slipping



## BH6117

Lens	Silver Mirror
Frame Color	Shiny Black to Silver



## BH633PFT

Lens	Smoke PFT
Frame Color	Crystal Black



## BH633AF

Lens	Smoke Anti-Fog
Frame Color	Crystal Black



## BH6101AF

Lens	Clear Anti-Fog
Frame Color	Woodland Camo



## BH61084AF

Lens	Yellow Anti-Fog
Frame Color	Woodland Camo



## BH654

Lens	Yellow
Frame Color	Shiny Black



## BH666

Lens	Indoor/Outdoor
Frame Color	Shiny Black

Frame Width: **142 mm** | Weight: **30 Grams** | Base Curve: **9**

# STINGER®



**VENTILATION PORTS**  
are properly placed to reduce fogging

**OPTIONAL FOAM GASKETS**  
for protection from particles



**BH6FBG**



Optional flame resistant foam brow gasket for Stinger® styles

**9 BASE CURVE LENS**  
for superior side coverage

**BH6108AF**



Lens **Brown Anti-Fog**  
Frame Color **Woodland Camo**



**BH6G**



Optional flame resistant foam gasket for Stinger® styles



**BH6103AF**



Lens **Smoke Anti-Fog**  
Frame Color **Woodland Camo**



**BH61712**



Lens **Smoke Polarized**  
Frame Color **Dark Gray**



**BH691PFT**



Lens **Clear PFT**  
Frame Color **Shiny Pearl Gray**



**BH691AF**



Lens **Clear Anti-Fog**  
Frame Color **Shiny Pearl Gray**



**BH691**

Lens **Clear**  
Frame Color **Shiny Pearl Gray**

**Z87+**



**CLOSE-FITTING FRAME**  
for superior protection

**DUAL-INJECTED TPR ENDS**  
for a slip-free experience

**WRAPPED LENSES AND FRAME**  
for superior orbital protection

**BH12610**



Lens | **Red Mirror**  
Frame Color | **Matte Black**



**BH1251612**



Lens | **Green Mirror Polarized**  
Frame Color | **Shiny Black**



**BH12108**



Lens | **Brown**  
Frame Color | **Woodland Camo**



**BH12714**



Lens | **Indoor/Outdoor Copper**  
Frame Color | **Crystal Brown**



**BH12137**

Lens | **Silver Mirror**  
Frame Color | **Black to Orange**



**BH1291AF**



Lens | **Clear Anti-Fog**  
Frame Color | **Shiny Pearl Gray**



**BH1233AF**



Lens | **Dark Smoke Anti-Fog**  
Frame Color | **Crystal Black**

Frame Width: **137 mm** | Weight: **26 Grams** | Base Curve: **8**

# MOJARRA®



**AGGRESSIVELY SCULPTED LENSES**  
for superior orbital protection

**TPR TEMPLE ENDS**  
prevent eyewear from slipping

**SPORT INSPIRED STYLE**  
transitions from work to play

**VENTILATED NOSE PIECES**  
improve airflow to prevent fogging

**BH1169**



Lens	Blue Mirror
Frame Color	Matte Black



**BH11711**



Lens	Polarized Brown
Frame Color	Crystal Brown



**BH1159**



Lens	Copper with Blue Mirror
Frame Color	Shiny Black



**BH11108**



Lens	Brown
Frame Color	Woodland Camo



**BH1133AF**



Lens	Dark Smoke Anti-Fog
Frame Color	Crystal Black



**BH1134**

Lens	Yellow
Frame Color	Crystal Black



**BH1191AF**



Lens	Clear Anti-Fog
Frame Color	Shiny Pearl Gray

**Z87+**



**VENTED TEMPLES**

increase airflow to prevent fogging

**FLEXIBLE FRAME**

contours to the curvature of your head

**TPR NOSE PIECES AND TEMPLE ENDS**

prevent eyewear from slipping

**BH2253PFT**



Lens	Smoke PFT
Frame Color	Shiny Black



Retainer cord included with each pair of Spearfish® glasses.



**BH2253AF**



Lens	Smoke Anti-Fog
Frame Color	Shiny Black



**BH2259**



Lens	Blue Mirror
Frame Color	Shiny Black



**BH2256**

Lens	Indoor/Outdoor
Frame Color	Shiny Black



**BH2251PFT**



Lens	Clear PFT
Frame Color	Shiny Black



**BH2251AF**



Lens	Clear Anti-Fog
Frame Color	Shiny Black

Frame Width: 143 mm | Weight: 24 Grams | Base Curve: 8

**SPEARFISH**



**Z87+**




**BH2213AF**

Lens | Smoke Anti-Fog  
Frame Color | Camouflage



**RETAINER CORD**  
included with every pair

**VENTED TEMPLES**  
increase airflow to prevent fogging



**BH22108AF**

Lens | Brown Anti-Fog  
Frame Color | Camouflage



**BH2254AF**

Lens | Yellow Anti-Fog  
Frame Color | Shiny Black



**TPR NOSE PIECES AND TEMPLE ENDS**  
prevent eyewear from slipping

Frame Width: 143 mm | Weight: 24 Grams | Base Curve: 8

**SPEARFISH**

**Economy**



**Z87+**



**BH2251AFE**

Lens | Clear Anti-Fog  
Frame Color | Shiny Black



**FLEXIBLE FRAME**  
contours to the curvature of your head

**VENTED TEMPLES**  
increase airflow to prevent fogging



**BH2257E**

Lens | Silver Mirror  
Frame Color | Shiny Black



**BH2253AFE**

Lens | Smoke Anti-Fog  
Frame Color | Shiny Black




**TPR NOSE PIECES AND TEMPLE ENDS**  
prevent eyewear from slipping

**Z87+**



**RUBBER TEMPLE SLEEVES**  
prevent eyewear from slipping



**FRAMELESS SINGLE LENS**  
for 100% visual clarity

**BH7615AF**

Lens | **Orange Anti-Fog**  
Frame Color | **Matte Black**



**BH766AF**

Lens | **Indoor/Outdoor Anti-Fog**  
Frame Color | **Matte Black**



**BH764AF**

Lens | **Yellow Anti-Fog**  
Frame Color | **Matte Black**



**BH761AF**

Lens | **Clear Anti-Fog**  
Frame Color | **Matte Black**



**BH763AF**

Lens | **Smoke Anti-Fog**  
Frame Color | **Matte Black**



**Z87+**



**AGGRESSIVELY SCULPTED LENSES**  
for superior orbital protection

**ADJUSTABLE TPR NOSE PADS**  
for a customized fit



**SPORT-INSPIRED FRAME**  
offers streamlined style



**BH161012**

Lens | **Brown Polarized**  
Frame Color | **Woodland Camo**



**BH1612**

Lens | **Blue Mirror**  
Frame Color | **Crystal Clear**



**BH1678**

Lens | **Brown**  
Frame Color | **Crystal Brown**



**BH1691AF**

Lens | **Clear Anti-Fog**  
Frame Color | **Shiny Pearl Gray**



Frame Width: **136 mm** | Weight: **35 Grams** | Base Curve: **8**

# STEELHEAD<sup>®</sup>

## FOAM-LINED



**TPR TEMPLE ENDS**  
prevent eyewear from slipping

**EFFECTIVE INDIRECT VENTING**  
helps to reduce fogging

**CLOSED-CELL EVA FOAM LINER**  
protects from particles

**BH1366AF**



Lens | Indoor/Outdoor Anti-Fog  
Frame Color | Matte Black



**BH13147AF**



Lens | Silver Mirror Anti-Fog  
Frame Color | Shiny Red



**BH1364AF**



Lens | Yellow Anti-Fog  
Frame Color | Matte Black



**BH1363AF**



Lens | Smoke Anti-Fog  
Frame Color | Matte Black



**BH1391AF**



Lens | Clear Anti-Fog  
Frame Color | Shiny Pearl Gray



787+

INSET TPR TEMPLE ENDS  
for all-day comfort

WRAP-AROUND LENS  
with 10 base curve

LIGHTWEIGHT, FLEXIBLE  
nose pieces



**BH2833AF**

Lens	Smoke Anti-Fog
Frame Color	Frosted Black



**BH2833**

Lens	Smoke
Frame Color	Frosted Black



**BH2816**

Lens	Indoor/Outdoor
Frame Color	Frosted Clear



**BH2811AF**

Lens	Clear Anti-Fog
Frame Color	Frosted Clear




**BH2811**

Lens	Clear
Frame Color	Frosted Clear

Frame Width: **138 mm** | Weight: **24 Grams** | Base Curve: **10**

# AVON

**Z87+**



**RUBBER TEMPLE SLEEVES**  
prevent eyewear from slipping

**WRAP STYLE**  
affords maximum protection

**SINGLE-MOLD WRAP LENS**  
for 100% visual clarity

**BH5410**

Lens	Rainbow Mirror
Frame Color	Frosted Black



**BH578**

Lens	Brown
Frame Color	Frosted Brown



**BH584**

Lens	Yellow
Frame Color	Frosted Yellow



**BH516**

Lens	Indoor/Outdoor
Frame Color	Frosted Clear



**BH543AF**

Lens	Smoke Anti-Fog
Frame Color	Frosted Black



**BH543**

Lens	Smoke
Frame Color	Frosted Black



**BH525**

Lens	Light Blue
Frame Color	Frosted Blue



**BH511PFT**

Lens	Clear PFT
Frame Color	Frosted Clear



**BH511AF**

Lens	Clear Anti-Fog
Frame Color	Frosted Clear



**BH511**

Lens	Clear
Frame Color	Frosted Clear

# TORRENT™

Frame Width: **135 mm** | Weight: **24 Grams** | Base Curve: **10**

**Z87+**



**TRADITIONAL STYLING**  
for comfortable look and feel

**SINGLE-MOLD LENS**  
with 10 base curve

**WRAP STYLE**  
for maximum protection and clarity

**BH133PFT**




Lens	Smoke PFT
Frame Color	Frosted Black



**BH136**

Lens	Indoor/Outdoor
Frame Color	Matte Black



**BH134**

Lens	Yellow
Frame Color	Frosted Yellow



**BH133AF**

Lens	Smoke Anti-Fog
Frame Color	Frosted Black



**BH133**

Lens	Smoke
Frame Color	Frosted Black



**BH125**

Lens	Light Blue
Frame Color	Frosted Blue

Frame Width: **135 mm** | Weight: **24 Grams** | Base Curve: **10**

# TORRENT™

**Z87+**



**SINGLE-MOLD LENS**  
with 10 base curve

**WRAP STYLE**  
affords maximum protection

**180-DEGREE ACUITY**

## BH147

Lens	<b>Silver Mirror</b>
Frame Color	<b>Matte Black</b>



## BH149

Lens	<b>Blue Mirror</b>
Frame Color	<b>Matte Black</b>



## BH111PFT

Lens	<b>Clear PFT</b>
Frame Color	<b>Frosted Clear</b>



## BH111AF

Lens	<b>Clear Anti-Fog</b>
Frame Color	<b>Frosted Clear</b>



## BH111

Lens	<b>Clear</b>
Frame Color	<b>Frosted Clear</b>



## BH111-UC

Lens	<b>Clear Uncoated</b>
Frame Color	<b>Frosted Clear</b>

# TORRENT™ FOAM-LINED

Frame Width: **135 mm** | Weight: **24 Grams** | Base Curve: **10**

**Z87+**



**WRAP STYLE**

for maximum protection and clarity


**CLOSED-CELL EVA FOAM LINER**  
protects from particles

**BH13156AF**

Lens	Indoor/Outdoor Anti-Fog
Frame Color	Frosted Black



**SINGLE-MOLD LENS**  
with 10 base curve



**BH13153AF**

Lens	Smoke Anti-Fog
Frame Color	Frosted Black



**BH1151AF**

Lens	Clear Anti-Fog
Frame Color	Frosted Clear



# TORRENT™ WELDING

Frame Width: **135 mm** | Weight: **24 Grams** | Base Curve: **10**

**Z87+**



**TRADITIONAL STYLING**  
for comfortable look and feel

**WRAP STYLE**  
for maximum protection and clarity

**BH1217**

Lens	IR Shade 3.0 Welding
Frame Color	Frosted Green

**SINGLE-MOLD LENS**  
with 10 base curve



**BH1417**


Lens	IR Shade 5.0 Welding
Frame Color	Matte Black

Frame Width: **137 mm** | Weight: **27 Grams** | Base Curve: **9**

# PICUDA

**Z87+**

**TELESCOPING TEMPLES**  
for customized fit and comfort



**BH467**

**9 BASE CURVE LENS**  
for superior side coverage

Lens | **Silver Mirror**  
Frame Color | **Matte Black**



**BH461AF**



Lens | **Clear Anti-Fog**  
Frame Color | **Matte Black**



**BH461**

Lens | **Clear**  
Frame Color | **Matte Black**



**BH463**

Lens | **Smoke**  
Frame Color | **Matte Black**



**BH464**

Lens | **Yellow**  
Frame Color | **Matte Black**



**BH466**

Lens | **Indoor/Outdoor**  
Frame Color | **Matte Black**

Frame Width: **137 mm** | Weight: **22 Grams** | Base Curve: **9.5**

# boass™



**Z87+**

**SINGLE-MOLD LENS**  
with 9.5 base curve



**BH2121AF**



Lens | **Clear Anti-Fog**  
Frame Color | **Frosted Clear**

**RUBBER TEMPLE ENDS**  
prevent slipping



**BH2143AF**




Lens | **Smoke Anti-Fog**  
Frame Color | **Frosted Black**

**RUBBER NOSE PIECES**  
provide maximum comfort

# Over-the-Glass

Frame Width: **144 mm** | Weight: **38 Grams** | Base Curve: **2**  
 Frame Width: **134 mm\*** | Weight: **29 Grams\*** | Base Curve: **2**

**Z87+**



**POLYCARBONATE CONSTRUCTION**  
for full ANSI-rated protection

**PERIPHERAL SIDE VIEW WINDOWS**  
clear vision to the sides

**BH291**

Lens	Clear
Frame Color	Shiny Pearl Gray

**FIT OVER PRESCRIPTION LENSES**  
for added safety



**BH233**

Lens	Smoke
Frame Color	Crystal Black



**\*BH3131**

Lens	Clear
Frame Color	Frosted Gray



**\*BH3133**

Lens	Smoke
Frame Color	Frosted Gray



# KAKU<sup>®</sup>

Frame Width: **140 mm** | Weight: **28 Grams** | Base Curve: **4**

**Z87+**



**TELESCOPING TEMPLES**  
for customized fit and comfort

**SIDE SHIELDS**  
for maximum protection

**BH364**

Lens	Yellow
Frame Color	Shiny Black

**CLASSICALLY STYLED**  
with 4 base curve



**BH361**

Lens	Clear
Frame Color	Shiny Black



**BH353**

Lens	Smoke
Frame Color	Shiny Black

# Goggles



**ELASTIC HEAD STRAP**  
for a secure fit

**CLEAR PVC FRAME**  
for chemical resistance

**INDIRECT VENTS**  
for splash protection

**D3 RATING**  
for splash and droplet protection

**BH181AF**



Lens | Clear Anti-Fog  
Vent Style | Indirect (4)



**BH191AF**



Lens | Clear Anti-Fog  
Vent Style | Slotted Indirect



**BH2962**



Lens | Wire Mesh  
Frame Color | Matte Black



**BH171**



Lens | Clear  
Vent Style | Direct



# CG4 - Convertibles

Frame Width: 137 mm | Weight: 32 Grams | Base Curve: 7

Z87+



**REMOVABLE TEMPLE ENDS**  
can replace with elastic strap

**RATCHETING TEMPLES**

**REMOVABLE FOAM GASKET**  
protects from airborne particles

**ANTI-FOG LENSES**  
to keep vision clear

**BH2033AF**



Lens	Smoke Anti-Fog
Frame Color	Matte Black
Vent Style	Direct



**BH2011AF**



Lens	Clear Anti-fog
Frame Color	Matte Black
Vent Style	Direct

**FOUR WAYS TO WEAR**  
for ultimate flexibility and protection



**VERSION 1:**  
Standard Safety Glasses



**VERSION 2:**  
Foam-Lined Safety Glasses



**VERSION 3:**  
Safety Glasses With Elastic Strap



**VERSION 4:**  
Foam-Lined Elastic Goggles

Frame Width: 132 mm | Weight: 36 Grams | Base Curve: 10

# CG5 - Convertibles

787+



**PERFORMANCE FOG TECHNOLOGY**  
lens permanently prevents fogging

**REMOVABLE FOAM GASKET**  
protects from airborne particles

**BH3066PFT**



Lens | Indoor/Outdoor PFT  
Frame Color | Matte Black



**BH3061PFT**



Lens | Clear PFT  
Frame Color | Matte Black



**BH3063PFT**



Lens | Smoke PFT  
Frame Color | Matte Black

**FOUR WAYS TO WEAR**  
for ultimate flexibility and protection



**VERSION 1:**  
Standard Safety Glasses



**VERSION 2:**  
Foam-Lined Safety Glasses



**VERSION 3:**  
Safety Glasses With Elastic Strap



**VERSION 4:**  
Foam-Lined Elastic Goggles

# Cases and Bags



**BHMB**  
Lint-Free Microfiber Fabric Pouch



**GC12**  
12 Pieces: Glasses Carrying Case



**BHHC**  
Hard Safety Glass Case with Belt/Keys Loop

**GC24**  
24 Pieces: Glasses Carrying Case




# Retainer Cords



**BHR1**  
Slip-On Retainer Cord

**BHR2**  
Loop-End Elastic Cord



**BHR3**  
Slip-In Stainless Steel Cord

**BHR4**  
Loop-End String Cord



# Lens Cleaning



**BHMC**  
Microfiber Cleaning Cloth



**BHLC21**  
Pre-Moistened Lens Cleaning Towelettes Dispenser

- Lens Cleaning Towelettes
- 100/dispenser box



**BHD10**

### 10-Piece Locking Countertop Display

- 10 piece
- Designed for glasses
- Counter display
- Lockable



**BHD36**

### Two-Sided 36-Piece Countertop Display

- 36 piece
- Two sides
- Counter display
- Custom designed to hold glasses and gloves



**BHDF60**

### One-Sided 60-Piece Floor Display

- 60 piece
- One side
- Floor display
- Custom designed to hold glasses and gloves



**BHDF80**

### Two-Sided 80-Piece Floor Display

- 80 piece
- Two sides
- Floor display
- Custom designed to hold gloves and/or glasses

# Hard Hat Guide

## OSHA REQUIREMENTS

OSHA states: "Employees working in areas where there is a possible danger of head injury from impact, falling or flying objects, or from electrical shock and burns, shall be protected by protective helmets." If these hazards are present, employers must provide employees with head protection that meets ANSI/ISEA standards. Climbing style protective helmets are required if work is being performed at 30 feet or higher.

## SHELL

Hard hats consist of a tough shell made of either HPPE or an ABS material.

### HPPE: HIGH PERFORMANCE POLYETHYLENE

High-density fiber with large molecular mass and high-impact strength allows HPPE to transfer loads efficiently. It is highly resistant to strong acids, bases, and organic solvents.

### ABS: ACRYLONITRILE BUTADIENE STYRENE

ABS offers strong impact resistance and shock absorbency. ABS is also heat-resistant, scratch-resistant, and resists strong acids, bases, and organic solvents.

## STYLES

Bullhead Safety™ offers several styles to ensure proper protection for every job.

## SUSPENSIONS

Raises the hard hat 1" to 1-1/4" to create space above the head of the user. This space allows room to absorb impact before it reaches the head.



SIX-POINT RATCHET




SIX-POINT SLIDE LOCK



## GRIPSTER™ DOTS

Provides grip for quick and easy on and off.



## ACCESSORIES

A wide variety of accessories are available for several of our hard hat styles.



## TWO TYPES

- ◎ **TYPE I:** Designed to shield workers from objects and blows that come from above.
- ◎ **TYPE II:** Designed to protect against lateral blows and impacts, plus impacts to the top of the head.

## THREE CLASSES (summarizes electrical hazard protection)

- ◎ **CLASS G:** General. Offers protection up to 2,200 volts.
- ◎ **CLASS E:** Electrical. Offers protection up to 20,000 volts.
- ◎ **CLASS C:** Conductive. Not designed to provide protection against electrical conductors.

**ANSI/ISEA STANDARD Z89.1** is the standard that covers hard hats. If a hard hat meets this ANSI standard, it is also compliant with OSHA.



## CLIMBING STYLE

- ◎ ANSI/ISEA Z89.1-2014 compliant
- ◎ Type 1, Class C
- ◎ ABS material
- ◎ Six-point ratchet suspension
- ◎ Four-point chin strap



## CAP STYLE

- ◎ ANSI/ISEA Z89.1-2014 compliant
- ◎ Vented or unvented available
- ◎ Vented: Type 1, Class C
- ◎ Unvented: Type 1, Class C
- ◎ HPPE or ABS material\*
- ◎ Gripster™ dots

\*HH-C2-YG, HH-C2-C, AND HH-C3-C ARE ABS MATERIAL



## FULL BRIM

- ◎ ANSI/ISEA Z89.1-2014 compliant
- ◎ Type 1, Class E
- ◎ HPPE or ABS material\*
- ◎ Six-point ratchet suspension
- ◎ Gripster™ dots

\*HH-F1-YG AND HH-F1-C ARE ABS MATERIAL



## BUMP CAP

- ◎ Non-compliant
- ◎ Lightweight polyethylene
- ◎ Ventilation holes
- ◎ Four-point slide lock suspension
- ◎ Two-point chin strap



## BASEBALL BUMP CAP

- ◎ Non-compliant
- ◎ ABS material inner shell
- ◎ Mesh panel ventilation
- ◎ Adjustable hook-and-loop strap

# Hard Hats: Climbing Helmet

**WEATHER AND CHEMICAL RESISTANCE**

from ABS material design

**PROPRIETARY**  
design and mold

**FITS SIZES 6.5 TO 8**

**HEADLAMP SLOTS**  
on the sides

**ACCESSORY SLOTS**

**SIX-POINT RATCHET**  
suspension comes pre-assembled

**Climbing Style Protective Helmet  
with Six-Point Ratchet Suspension  
and Four-Point Chin Strap**

- Proprietary design and mold
- Pre-installed adjustable four-point chin strap
- Each protective helmet is individually packaged in a retail ready box
- Fits hat sizes from 6.5 to 8

brow pad wicks sweat so you stay  
**COOL, COMFORTABLE, AND DRY**

**HH-CH1-CB**  
Matte Black  
Graphite



**HH-CH1-W**  
White



**HH-CH1-Y**  
Yellow



**HH-CH1-YG**  
High-Visibility  
Yellow/Green



**PIVOT SYSTEM**  
for a secure fit



**EZ-CLICK ADJUSTABLE**  
ratchet system



# Hard Hats: Unvented Full Brim


Compliance: **ANSI Z89.1-2014** | Type: **1** | Class: **E**



**FITS SIZES 6.5 TO 8**

**WEATHER AND CHEMICAL RESISTANCE**  
from ABS material design

**REVERSIBLE SIX-POINT RATCHET**  
suspension comes pre-assembled



**FULL BRIM DESIGN**  
protects from sunshine and rain

**PROPRIETARY GRIPSTER DOTS**  
underneath the brim

## Unvented Full Brim Style Hard Hat With Six-Point Ratchet Suspension

- Lightweight low profile design
- Fits both two-point and four-point chin straps
- Lightweight material with nonconductive properties

brow pad wicks sweat so you stay **COOL, COMFORTABLE, AND DRY**



**PIVOT SYSTEM**  
for a secure fit

**EZ-CLICK ADJUSTABLE**  
ratchet system with foam padding



**HH-F1-C**  
Matte Black  
Graphite



**HH-F1-W**  
White



**HH-F1-Y**  
Yellow



**HH-F1-B**  
Blue



**HH-F1-YG**  
High-Visibility  
Yellow/Green



Compliance: ANSI Z89.1-2014 | Type: 1 | Class: C

# Hard Hats: Unvented Cap Style



**HH-C2-C**  
Matte White  
Graphite



**LOW PROFILE AND REVERSIBLE**  
patented design for lightweight fit

**HH-C2-Y**  
Yellow



**WEATHER AND CHEMICAL RESISTANCE**  
from ABS material design

**FITS SIZES 6.5 TO 8**

**HH-C2-B**  
Blue



**ACCESSORY SLOTS**

**HH-C2-W**  
White



**LOW PROFILE AND REVERSIBLE**  
patented design for lightweight fit

**PROPRIETARY GRIPSTER DOTS**  
underneath the brim

**HH-C2-O**  
Orange



## Unvented Cap Style Hard Hat With Six-Point Ratchet Suspension

- Fits both two-point and four-point chin straps
- Patented design
- Suspension includes a replaceable brow pad that wicks away sweat

**HH-C2-YG**  
High-Visibility  
Yellow/Green



brow pad wicks sweat so you stay  
**COOL, COMFORTABLE, AND DRY**

**PIVOT SYSTEM**  
for a secure fit

**HH-C2-G**  
Green



**HH-C2-K**  
Black



**HH-C2-R**  
Red



**EZ-CLICK ADJUSTABLE**  
ratchet system with foam padding





# Hard Hats: Unvented Cap Style

Compliance: ANSI Z89.1-2014 | Type: 1 | Class: C




**LOW PROFILE AND REVERSIBLE**  
patented design for lightweight fit

**PROPRIETARY GRIPSTER DOTS**  
underneath the brim

brow pad wicks sweat so you stay  
**COOL, COMFORTABLE, AND DRY**

**EZ-CLICK ADJUSTABLE**  
slide lock system



**ACCESSORY SLOTS**

**FITS SIZES 6.5 TO 8**

## Unvented Cap Style Hard Hat With Six-Point Slide Lock Suspension

- Fits both two-point and four-point chin straps
- Patented design
- Suspension includes a replaceable brow pad that wicks away sweat
- Weather and chemical resistant HPPE material design



**HH-C1-Y**  
Yellow



**HH-C1-B**  
Blue



**HH-C1-W**  
White

# Hard Hats: Vented Cap Style

[roland@bluegrass-ky.com](mailto:roland@bluegrass-ky.com)

Compliance: ANSI Z89.1-2014 | Type: 1 | Class: C



**LOW PROFILE AND REVERSIBLE**  
patented design for lightweight fit

**PROPRIETARY GRIPSTER DOTS**  
underneath the brim

brow pad wicks sweat so you stay  
**COOL, COMFORTABLE, AND DRY**

**PIVOT SYSTEM**  
for a secure fit

**EZ-CLICK ADJUSTABLE**  
ratchet system with foam padding



**ACCESSORY SLOTS**

**FITS SIZES 6.5 TO 8**

## Vented Cap Style Hard Hat with Six-Point Ratchet Suspension

- Fits both two-point and four-point chin straps
- Patented design
- Suspension includes a replaceable brow pad that wicks away sweat
- Weather and chemical resistant HPPE material design



**HH-C3-C**  
Shiny Black  
Graphite



**HH-C3-W**  
White



**HH-C3-Y**  
Yellow



**HH-C3-B**  
Blue

Compliance: **Not Rated** | Type: **Not Rated** | Class: **Not Rated**

# Hard Hats: Vented Bump Cap

HH-BC1-B  
Blue



HH-BC1-Y  
Yellow



HH-BC1-W  
White



**COMFORT-FIT SUSPENSION**  
comes preassembled

**TWO-POINT CHINSTRAP**  
included with every cap

**Vented Bump Cap With Four-Point  
Slide Lock Suspension**

- Helps provide head protection from injuries like minor bumps and scalp lacerations
- For use where hard hats are not required
- Fits hat sizes from 6.5 to 8



**LIGHTWEIGHT**  
polyethylene shell

**REPLACEABLE SWEATBAND**

**SLIDE LOCK SUSPENSION**  
with four-point attachment

**VENTILATION HOLES**  
on both sides of bump cap



Compliance: **Not Rated** | Type: **Not Rated** | Class: **Not Rated**

# Hard Hats: Baseball Style Bump Cap

HH-H1-B  
Navy Blue



HH-H1-Y  
High-Visibility  
Yellow/Green  
With Black



HH-H1-K  
Black



**ADJUSTABLE SIZE**  
with hook-and-loop strap



**BREATHABLE MESH HOLES**  
provide ventilation in the sides

**Baseball Style Bump Cap**

- Bump cap and baseball cap in one
- Designed for applications where ANSI-rated hard hats are not required
- Individually packaged, six per pack, 10 packs per case

**VENTED AND REMOVABLE**  
tough ABS inner shell

**SOFT INNER FOAM**  
cushions top of the head



# Hard Hats: Accessories

2 MM THICK TORIC polycarbonate visor

99.9% UVA/B/C PROTECTION

ANTI-FOG COATING for reduced fogging properties

MOUNTING HARDWARE included with each visor



HH-V73AF



Z87+

Anti-Fog Toric Polycarbonate Visor for Climbing Style Helmet

HH-V71AF



Z87+



HH-AB1

Aluminum Bracket Accessory For Cap Style Hard Hat

Z87+



HH-AB2

Aluminum Bracket Accessory For Full Brim Hard Hat

Z87+



HH-V3

Wire Mesh Face Shield

Z87+



HH-V1

Clear Polycarbonate Face Shield

Z87+



HH-V4

Clear Cylinder Polycarbonate Face Shield

Z87+



HH-V2

Clear Aluminumized Polycarbonate Face Shield

Z87+



HH-V6

Clear PETG Face Shield

Z87+



HH-V5

Clear Toric Polycarbonate Face Shield

Z87+



HH-PB2

Plastic Bracket Accessory For Full Brim Hard Hat

Z87+



HH-PB1

Plastic Bracket Accessory For Cap Style Hard Hat

Z87+

# Hard Hats: Accessories

**13 LED LIGHTS**  
provide extra visibility

**3M™ SCOTCHLITE™  
REFLECTIVE MATERIAL**  
provides extended visibility

**USB MINI CHARGING CORD**  
included with each band

**HH-LED1**

**Rechargeable LED Light Band**

**RECHARGEABLE  
BATTERY PACK**  
lasts up to 16 hours  
on a one-hour charge

**HOOK-AND-LOOP EASILY ATTACHES**  
to most hard hats

**SOLID, STEADY BLINK, AND BURST BLINK**  
light pattern options

**HP-M3**



**Premium High-Visibility  
Cap Mounted  
NRR 22 dB Earmuffs**

- Multi-position cap-mounted earmuffs
- Universal mounting attachment fits most slotted hard hats
- Features ABS cups for their durability and impact resistance



**GLO-CNS2**



**Evaporative Cooling Neck Shade**



**HH-BG1**



**Browguard With Ratchet Adjustment**

- Accommodates a variety of face shields
- Pivoting action
- Meets ANSI/ISEA Z87.1-2020 standards



**HH-A1**

**Six-Point Ratchet  
Suspension Replacement**



**HH-A2**

**Sweatband Replacement**



**HH-A4**

**Two-Point Chin Strap**



**HH-A5**



**Four-Point Chin Strap**



**HH-A6**

**Four-Point Chinstrap  
Replacement for Climbing  
Style Helmets**



**HH-A7**

**Replacement Suspension Padding  
for Climbing Style Helmets**



# Cooling

## HOW TO ACTIVATE COOLING FUNCTION



Soak in cool water



Squeeze out excess water



Twirl in the air for activation

Bullhead Safety® high-performance cooling products prevent injuries from heat stress. One cooling towel can protect from overheating and related conditions for up to 5 hours.

**PROPRIETARY COOLING POLYMERS**  
in multi-layer construction



**EXTENDED COOLING**  
and heat stress prevention



**MIC TABS**  
on shoulders

**GLO-CV1**  
M-3XL

- ANSI Class 2 Compliant
- ANSI HVSA Type R

**HIGH-VISIBILITY**  
yellow/green exterior

**ZIPPER CLOSURE**

**FLEXIBLE ELASTIC BAND**  
fit most full brim and cap style hard hats



**GLO-CNS2**  
High-Visibility  
Yellow/Green


**HIGH-VISIBILITY ORANGE TRIM**  
and silver reflective stripe

**PROPRIETARY COOLING POLYMERS**  
in multi-layer construction



**HIGH-VISIBILITY MESH**  
for sun protection





**GLO-HB11**  
High-Visibility Yellow/Green

## Premium High-Visibility Evaporative Cooling Headband/Bandana

- Constructed with proprietary cooling polymers
- Material absorbs, stores, and releases water within a multi-layered fabric



**GLO-CT2**  
Blue

## Cooling Towel

- Reusable and safe
- Quickly dissipates hot moisture
- Antimicrobial treated to prevent mold and odors
- 16 in x 25.5 in



**GLO-HB4**  
Red Paisley

## Cooling Headband/Bandana


- Constructed with ultra-absorbent PVA material
- Quickly dissipates hot moisture
- Antimicrobial treated to prevent mold and odors



**GLO-S2**  
Camo

## Cooling Head Shade

- Constructed with ultra-absorbent PVA material
- Quickly dissipates hot moisture
- Antimicrobial treated to prevent mold and odors



**GLO-CT1**  
High-Visibility Yellow/Green  
16 in x 25.5 in

**GLO-HB1**  
High-Visibility Yellow/Green



**GLO-S1**  
High-Visibility Yellow/Green



**GLO-CT33**  
High-Visibility Yellow/Green  
4 in x 40 in

**GLO-HB2**  
Camouflage



**GLO-S3**  
Blue



**GLO-CT44**  
High-Visibility Orange  
12 in x 40 in

**GLO-HB3**  
Blue



**GLO-S4**  
Red Paisley



# Winter Liners

HARD HAT ATTACHMENT

WARMING POCKETS  
over the ears

FR MODACRYLIC/COTTON SHELL  
with 3M™ Thinsulate™ inner layer

modacrylic/cotton  
RED FLEECE LINING



WL920FR

## Inherently FR Flame-Resistant 3M™ Thinsulate™ Shoulder-Length Winter Liner

- Silver reflective accent logo
- Arc Rating (EBT) = 31 Cal/cm<sup>2</sup>
- Heat Attenuation Factor (HAF) = 91%
- NFPA 70E Arc Flash PPE Category: 3
- Meets ASTM F1506 NFPA 70E

ADJUSTABLE CLOSURE  
hook-and-loop strap



WL900FR

## Inherently FR Flame-Resistant 3M™ Thinsulate™ Winter Liner

- FR modacrylic/cotton shell with 3M™ FR Thinsulate™ inner layer
- Modacrylic/cotton red fleece lining
- Warming pockets over ears
- Silver reflective accent logo
- Arc Rating (EBT) = 31 Cal/cm<sup>2</sup>
- Heat Attenuation Factor (HAF) = 91%
- NFPA 70E Arc Flash PPE Category: 3
- Meets ASTM F1506 NFPA 70E



WL770FR

## Self-Extinguishing Shoulder-Length Insulated Winter Liner

- Foam inner layer, and single-wash, FR-treated, red fleece lining
- FR modacrylic/cotton outer shell
- Warming pockets over ears
- Silver reflective accent logo



WL520

## Sherpa-Lined Insulated Three-Layered Shoulder-Length Quilted Winter Liner

- White sherpa fleece lining
- Quilted polyester shell
- Warming pockets over ears
- Silver reflective accent logo



WL420

## Shoulder-Length Red Fleece Winter Liner

- Soft red fleece lining
- Two-layer polyester shell
- Silver reflective accent logo



WL400

## Red Fleece Economy Winter Liner

- Soft red fleece lining
- Two-layer polyester shell
- Silver reflective accent logo



WL500

## Sherpa-Lined Insulated Quilted Winter Liner

- White sherpa fleece lining
- Quilted polyester shell
- Warming pockets over ears
- Silver reflective accent logo

# Hearing Protection Earplugs



**NRR**  
23 dB

HP-S1

## Uncorded Reusable Silicone NRR 23 dB Earplugs

- Extra-soft, lightweight silicone seals the ear canal without pressure
- Triple-flange shape with firm handle
- Packaged 1 pair per personal carrying case (includes chain attachment)
- 100 pairs per display box



**NRR**  
33 dB

HP-F1

## Uncorded Polyurethane Foam NRR 33 dB Earplugs

- Extra-soft, lightweight foam seals the ear canal without pressure
- Bullet shaped provides a snug fit
- Each pair is individually packaged in a polybag for retail sale
- 200 pairs per display box



**NRR**  
26 dB

HP-S2

## Corded Reusable Silicone NRR 26 dB Earplugs

- Extra-soft, lightweight silicone seals the ear canal without pressure
- Triple-flange shape with firm handle
- Packaged: 1 pair per personal carrying case (includes belt attachment)
- 100 pairs per display box




**NRR**  
33 dB

HP-F2

## Corded Polyurethane Foam NRR 33 dB Earplugs

- Extra-soft, lightweight foam seals the ear canal without pressure
- Bullet shaped provides a snug fit
- Each pair is individually packaged in a polybag for retail sale
- 100 pairs per display box



**NRR**  
23 dB

HP-S3

## Corded Metal Detectable Reusable Silicone NRR 23 dB Earplugs

- Extra-soft, lightweight silicone seals the ear canal without pressure
- Triple-flange shape with firm handle
- Packaged 1 pair per personal carrying case
- 100 pairs per display box



**NRR**  
22 dB

HP-BF1

## Lightweight Banded NRR 22 dB Earplugs

- Lightweight and durable banded earplug
- Reduces pressure on ear canal
- Includes one band plus two pairs of earplugs
- Soft, ergonomic pods






# Hearing Protection

It is critical to use adequate hearing protection to avoid long lasting damage

**NOISE THRESHOLD**  
0 dB

**NORMAL CONVERSATION**  
60 dB

**ALARM CLOCK**  
80 dB



Limit exposure to 90 dB to 2 hours or less.

**TRUCK TRAFFIC**  
90 dB

**POWER SAW**  
110 dB

**SAND BLASTING**  
115 dB

**HEARING LOSS**  
At 115 dB and above, hearing loss can occur within one minute of exposure.

**JET ENGINE**  
120 dB

**JACK HAMMER**  
130 dB

**LOUDEST RECOMMENDED EXPOSURE WITH PROTECTION**  
140 dB

## NRR (Noise Reduction Rating)

Understanding hearing protection ratings and the effectiveness of hearing protection devices to decrease sound exposure.

OSHA advises that actual decibel reduction for NRR ratings should be estimated in the following manner.

As an example, the level of noise exposure for sandblasting is approximately 115 dB. Wearing earplugs with an NRR 33 dB does not reduce the level of noise exposure to 82 dB.

To determine the actual amount of decibel reduction, subtract seven from the stated NRR and then divide the result by two.

Wearing NRR 33 dB earplugs during sandblasting may reduce the level of noise exposure from 115 dB to 102 dB.

Combining hearing protection devices, such as earplugs and earmuffs adds five additional decibels of protection to the device with the higher NRR. For example, combining NRR 33 dB earplugs and NRR 27 dB earmuffs may reduce the level of noise exposure by a total of 38 dB.

Beginning Sound Level

115 dB

add NRR 33 dB earplugs  
-7 dB  
with 50% Reduction

- 13 dB

Sound Level with Earplugs


102 dB

Additional Protection  
add NRR 27 dB earmuffs

- 5 dB

Ending Sound Level

97 dB



OSHA requires employers to implement a hearing conservation program when noise exposure is at or above 85 decibels averaged over 8 working hours. If you need to raise your voice to speak to someone 3 feet away, noise levels might be over 85 decibels.

# Hearing Protection Earplugs



**NRR**  
26 dB

HP-S1

## Uncorded Reusable Silicone NRR 26 dB Earplugs

- Extra-soft, lightweight silicone seals the ear canal without pressure
- Triple-flange shape with firm handle
- Packaged 1 pair per personal carrying case (includes chain attachment)
- 100 pairs per display box



**NRR**  
26 dB

HP-S2

## Corded Reusable Silicone NRR 26 dB Earplugs

- Extra-soft, lightweight silicone seals the ear canal without pressure
- Triple-flange shape with firm handle
- Packaged: 1 pair per personal carrying case (includes belt attachment)
- 100 pairs per display box



**NRR**  
26 dB

HP-S3

## Corded Metal Detectable Reusable Silicone NRR 26 dB Earplugs

- Extra-soft, lightweight silicone seals the ear canal without pressure
- Triple-flange shape with firm handle
- Packaged 1 pair per personal carrying case
- 100 pairs per display box



**NRR**  
22 dB

HP-BF1

## Lightweight Banded Hearing Protection Earplugs

- Lightweight and durable banded earplug
- Reduces pressure on ear canal
- Includes one band plus two pairs of earplugs
- Soft, ergonomic pods



**NRR**  
33 dB

HP-F1

## Uncorded Polyurethane Foam NRR 33 dB Earplugs

- Extra-soft, lightweight foam seals the ear canal without pressure
- Bullet shaped provides a snug fit
- Each pair is individually packaged in a polybag for retail sale
- 200 pairs per display box




**NRR**  
33 dB

HP-F2

## Corded Polyurethane Foam NRR 33 dB Earplugs

- Extra-soft, lightweight foam seals the ear canal without pressure
- Bullet shaped provides a snug fit
- Each pair is individually packaged in a polybag for retail sale
- 100 pairs per display box



# Hearing Protection Earmuffs

PADDED HEADBAND

soft ear cap  
CUSHIONS

**NRR**  
27 dB

HP-M4

## Premium High-Visibility Padded Band NRR 27 dB Earmuffs

- The over-the-head banded design provides maximum versatility
- Features ABS cups for their durability and impact resistance
- High-level attenuation is designed to provide a high noise reduction rating
- Stainless steel wires prevent rust and corrosion

HARD ABS EAR CAPS



HP-M3

**NRR**  
22 dB

## Premium High-Visibility Cap Mounted NRR 22 dB Earmuffs

- Multi-position cap-mounted earmuffs
- Universal mounting attachment fits most slotted hard hats
- Features ABS cups for their durability and impact resistance
- Soft PVC ear cushions deliver long-wearing comfort
- Stainless steel wires prevent rust and corrosion



HP-M2

**NRR**  
23 dB

## Premium High-Visibility Foldable NRR 23 dB Earmuffs

- Adjustable and flexible reinforced plastic headband with four-point suspension
- Features ABS cups for their durability and impact resistance
- Soft PVC ear cushions deliver long-wearing comfort
- Stainless steel wires prevent rust and corrosion



HP-M1

**NRR**  
23 dB

## Economy Adjustable NRR 23 dB Earmuffs

- Features soft ABS cups for their durability and impact resistance
- 2-point adjustable headband
- Flexible reinforced plastic headband offers a custom fit
- Soft PVC ear cushions deliver long-wearing comfort

# Hearing Protection

## Accessories and Refills

expandable, slow rebound  
**BULLET-SHAPED FOAM EARPLUGS**



**PRE-FILLED WITH 500 PAIRS**

**360-DEGREE FUNNEL**  
dispenses earplugs hygienically

**TWO MOUNTING HOLES**  
on the dispenser stand



DISPOSABLE  
EARPLUGS



UNCORDED  
EARPLUGS



**NRR**  
**32 dB**

HP-FDL1

**PVC-Free Polyurethane Foam NRR 32 dB  
500 Pair Earplug Dispenser**

earplugs are made of soft  
**NON-ALLERGENIC MATERIAL**



HP-FDS1



DISPOSABLE  
EARPLUGS



UNCORDED  
EARPLUGS



**NRR**  
**32 dB**

**PVC-Free Polyurethane Foam NRR  
32 dB 250 Pair Earplug Dispenser**

**PRE-FILLED WITH 250 PAIRS**



HP-FDL1-RF



**NRR**  
**32 dB**

**Foam Earplugs Dispenser Refill Pack**

- Includes 500 pairs
- 100% PVC-free PU single-use earplugs
- Expandable, slow rebound bullet shaped foam
- Made of soft non-allergenic material

HP-M1-RK

**Hygiene/Replacement Kit  
for HP-M1 Earmuffs**

- Includes two replacement ear cushions and two foam inserts
- For use with HP-M1 earmuffs
- Features snap-in cushion system for easy replacement



HP-M4-RK

**Hygiene/Replacement Kit  
for HP-M4 Earmuffs**

- Includes two replacement ear cushions and two foam inserts
- For use with HP-M4 earmuffs
- Features snap-in cushion system for easy replacement



HP-FDS1-RF



**NRR**  
**32 dB**

**PVC-Free Polyurethane Foam NRR  
32 dB Earplug 250 Pair Refill Pack**

- Includes 250 pairs
- 100% PVC-free PU single-use earplugs
- Expandable, slow rebound bullet shaped foam
- Made of soft non-allergenic material

# Bullhead Safety® Index

BH6FBG.....25, 6	BH1063AF.....18, 4	BH2833.....32	BH106320.....12	HH-C2-G.....47, 44
BH6G.....25, 6	BH1063PFT.....18, 9	BH2833AF.....32	BH106325.....12	HH-C2-K.....47
BH9G.....21, 6	BH1067.....18	BH2962.....39	BH113315.....12	HH-C2-O.....47
BH14G.....23, 6	BH1133AF.....27, 4	BH3061PFT.....9, 41, 6	BH113320.....12	HH-C2-R.....47
BH26G.....15, 6	BH1134.....8, 27	BH3063PFT.....9, 41	BH113325.....12	HH-C2-W.....47
BH111.....35	BH1151AF.....36	BH3066PFT.....9, 41	BH145712.....10, 22, 4	HH-C2-Y.....47
BH111-UC.....35	BH1159.....27	BH3131.....38	BH161012.....10, 30	HH-C2-YG.....47
BH111AF.....35	BH1169.....27	BH3133.....38	BH225115PFT.....13, 9	HH-C3-B.....48
BH111PFT.....9, 35	BH1191AF.....27	BH5410.....33	BH225120PFT.....13, 9	HH-C3-C.....48
BH125.....34	BH1217.....36	BH6101AF.....24	BH225125PFT.....13, 9	HH-C3-W.....48
BH133.....34	BH1233AF.....26	BH6103AF.....25	BH225315PFT.....13, 9	HH-C3-Y.....48
BH133AF.....34	BH1291AF.....26	BH6108AF.....25	BH225320PFT.....13, 9	HH-CH1-CB.....45, 44
BH133PFT.....9, 34	BH1363AF.....31	BH6117.....24	BH225325PFT.....13, 9	HH-CH1-W.....45
BH134.....34	BH1364AF.....31	BH7615AF.....30	BH261016AF.....15	HH-CH1-Y.....45
BH136.....34	BH1366AF.....31	BH9117.....21	BH1061213AF.....19, 11, 10	HH-CH1-YG.....45
BH147.....35	BH1391AF.....31	BH9187.....8, 20	BH1251612.....10, 26	HH-F1-B.....46
BH149.....35	BH1411AF.....23	BH9711.....20, 11	BHD36.....43	HH-F1-C.....46
BH171.....39	BH1417.....36	BH10116AF.....19	BHDF60.....43	HH-F1-W.....46
BH181AF.....39	BH1419AF.....22	BH10613AF.....18, 11	BHDF80.....43	HH-F1-Y.....46, 44
BH191AF.....39	BH1431AF.....23	BH10616AF.....8, 18, 4	BHDL10.....43	HH-F1-YG.....46
BH233.....38	BH1431PFT.....9, 23	BH10711.....19	BHHC.....42	HH-H1-B.....49
BH291.....38	BH1433AF.....8, 22	BH10714.....19, 11	BHLC21.....42	HH-H1-K.....49
BH353.....38	BH1433PFT.....9, 22	BH11108.....27	BHMB.....42	HH-H1-Y.....49, 44
BH361.....38	BH1466AF.....23	BH11110.....12	BHMC.....42	HH-LED1.....44, 51
BH364.....38	BH1478AF.....23	BH11115.....12	BHR1.....42	HH-PB1.....50
BH461.....37	BH1612.....30	BH11120.....12	BHR2.....42	HH-PB2.....50
BH461AF.....37	BH1678.....30	BH11125.....12	BHR3.....42, 6	HH-V1.....50
BH463.....37	BH1691AF.....30	BH11711.....10, 27	BHR4.....42	HH-V2.....50
BH464.....37	BH2011AF.....40, 6	BH12108.....26	GC12.....42	HH-V3.....50
BH466.....37	BH2033AF.....40	BH12137.....26	GC24.....42	HH-V4.....50
BH467.....37	BH2121AF.....8, 37	BH12610.....26	GLO-CNS2.....52, 51	HH-V5.....50
BH511.....33	BH2143AF.....37, 4	BH12714.....11, 26	GLO-CT1.....53	HH-V6.....50
BH511AF.....33	BH2213AF.....29	BH13147AF.....31, 6	GLO-CT2.....53	HH-V71AF.....50
BH511PFT.....9, 33	BH2251AF.....28	BH13153AF.....36	GLO-CT33.....53	HH-V73AF.....50, 44
BH516.....33	BH2251AFE.....29	BH13156AF.....36, 6	GLO-CT44.....53	HP-BF1.....57
BH525.....33	BH2251PFT.....9, 28	BH13310.....12	GLO-CV1.....52	HP-F1.....57
BH543.....33	BH2253AF.....28, 4	BH14183AF.....22	GLO-HB1.....53	HP-F2.....57
BH543AF.....33	BH2253AFE.....29	BH14187AF.....22	GLO-HB2.....53	HP-FDL1.....59
BH578.....33	BH2253PFT.....9, 28	BH14209.....10, 23	GLO-HB3.....53	HP-FDL1-RF.....59
BH584.....33	BH2254AF.....29	BH22108AF.....8, 29	GLO-HB4.....53	HP-FDS1.....59
BH633AF.....24	BH2256.....28	BH24211.....13	GLO-HB11.....53	HP-FDS1-RF.....59
BH633PFT.....9, 24	BH2257E.....29	BH24213.....13	GLO-S1.....53	HP-M1.....58
BH654.....8, 24	BH2259.....28	BH24217.....13	GLO-S2.....53	HP-M1-RK.....59
BH666.....24	BH2519AF.....17	BH25116PFT.....17, 10, 9	GLO-S3.....53	HP-M2.....58
BH691.....25	BH2551AF.....17	BH25187.....17	GLO-S4.....53	HP-M3.....58, 44, 51
BH691AF.....25	BH2553AF.....17	BH26613PFT.....14, 11, 9	HH-A1.....51, 44	HP-M4.....58
BH691PFT.....9, 25	BH2556AF.....17	BH26718PFT.....15, 11, 10, 9	HH-A2.....51	HP-M4-RK.....59
BH761AF.....30	BH2661AF.....15	BH26719PFT.....15, 10, 9	HH-A4.....51	HP-S1.....57
BH763AF.....30	BH2663AF.....14	BH27116AF.....16	HH-A5.....51	HP-S2.....57
BH764AF.....30	BH2664.....14	BH27710PFT.....16, 10, 9	HH-A6.....51	HP-S3.....57
BH766AF.....30	BH2677AF.....14	BH61084AF.....24	HH-A7.....51	WL120.....55
BH943AF.....20, 4	BH2679PFT.....14, 10, 9	BH61712.....10, 25, 4	HH-AB1.....50	WL220.....55
BH943PFT.....20, 9	BH2761AF.....16	BH95129PFT.....20, 10, 9, 6	HH-AB2.....50	WL280FR.....55
BH969.....21, 5	BH2763AF.....16	BH106110.....12	HH-BC1-B.....49, 44	WL300-YG.....55
BH991AF.....21	BH2766AF.....16	BH106115.....12	HH-BC1-W.....49	WL310-YG.....55
BH991PFT.....21, 9	BH2769PFT.....16, 10, 9	BH106120.....12	HH-BC1-Y.....49	WL320SE.....55
BH1031AF.....19	BH2811.....32	BH106125.....12	HH-BG1.....51	WL400.....54
BH1031PFT.....19, 9	BH2811AF.....32	BH106129.....8, 18, 10	HH-C1-B.....48	WL420.....54
	BH2816.....32	BH106310.....12	HH-C1-W.....48	WL500.....54
		BH106315.....12	HH-C1-Y.....48	WL520.....54
			HH-C2-B.....47	WL770FR.....54
			HH-C2-C.....47	WL900FR.....54
				WL920FR.....54



# Your Logo on Hard Hats

helps keep your work site secure



Your logo on visitor specs  
keeps your brand  
in your customer's hands

Kentucky Cleaning Solutions, LLC, DBA

**BLUEGRASS**   
**JAN/SAN & PAPER SUPPLIES**

FRANKFORT, KY

Visit [BluegrassJanitorial.com](http://BluegrassJanitorial.com) for details

Kentucky Cleaning Solutions, LLC, DBA

**BLUEGRASS** 

**JAN/SAN & PAPER SUPPLIES**

FRANKFORT, KY

HEARING PROTECTION

SAFETY EYEWEAR

HEAD PROTECTION

WINTER LINERS

BALACLAVAS

COOLING