



Kentucky Cleaning Solutions, LLC, DBA
BLUEGRASS 
JAN/SAN & PAPER SUPPLIES
FRANKFORT, KY



TABLE OF CONTENTS



BARRICADES

PLASTX Barricades-----	Pg 4
PLASTX FF Barricades-----	Pg 5
PLASTX FF HD Barricades-----	Pg 6
M-Cade Barricades-----	Pg 7
Steelcade Barricades-----	Pg 8
N-CADE Barricades-----	Pg 9
A-Frame Barricades-----	Pg 10
P-CADE Barricades-----	Pg 11
Telespar Type III Barricades-----	Pg 12



BARRICADE LIGHTS

Barricade Lights-----	Pg 13
-----------------------	-------



CHANNELIZER DEVICES

TrailBoss Barrels/ TrailGuide Barrels-----	Pg 15
--	-------



CHANNELIZERS

Grip N Go & EZ Grab Channelizers-----	Pg 16
---------------------------------------	-------



TRAILBALZER

Trailblazer-----	Pg 17
Trailblazer Legends-----	Pg 18



DELINEATORS

EZ Grab Delineator-----	Pg 20
EZ Grab Delineator-Permanent mount-----	Pg 21
Dual Grip Delineator-----	Pg 22
Delux Stackable Delineator-----	Pg 23
Sequential Stratolite Delineator-----	Pg 24



TUBULAR MARKERS

Flexible Tubular Markers-----	Pg 25
-------------------------------	-------



FLAT TOP SURFACE MOUNT

Flat Top Surface Mount-----	Pg 26
-----------------------------	-------



CONES

DW Series Traffic Cones-----	Pg 28
W Series Traffic Cones-----	Pg 29
Sport Cones-----	Pg 30
Pack N Pop Collapsible Cones-----	Pg 31
Cone Accessories-----	Pg 32
Cone Signs-----	Pg 33
Cone Bar Roll-Up Signs-----	Pg 34



QUADRAFLEX ROLL-UP SIGNS

QuadraFlex Roll-Up Signs-----	Pg 36
QuadraFlex Single Spring Signs-----	Pg 37
QuadraFlex Dual Spring Signs-----	Pg 38
Quadra Roll Compact Signs & Accessories-----	Pg 39
Canadian Roll-Up Signs-----	Pg 40
QuadraFlex Square & Rectangle Roll-Up Signs-----	Pg 41



QUADRAFLEX COMPACT SIGN STANDS

QuadraFlex Compact Sign Stands-----	Pg 42
-------------------------------------	-------



MEDIAN & TRI-POD SIGN STANDS

Median/Jersey Sign Stand-----	Pg 43
Tri-pods-----	Pg 44



STOP/SLOW SIGNS

Stop/Slow Paddles-----	Pg 46
Roll-Up Stop/Slow Sign LED Stop/Slow Sign-----	Pg 47



RUMBLE STRIPS

Rumble Strips-----	Pg 48
--------------------	-------



JOB SITE TOOLS

Guardian Roof line Perimeter Fire Extinguisher Stand and Quick Deploy STOP Signs-----	Pg 49
--	-------



FENCING & REBAR CAPS

Fencing & Rebar Caps-----	Pg 50
---------------------------	-------



CABLE PROTECTORS

Cable Guards Dropovers Hose Bridge ADA Compliant Cable Guard-----	Pg 51
--	-------



PARKING LOT AIDS

Parking Block Speed Bumps Speed Humps-----	Pg 52
--	-------



WHEEL CHOCKS

Wheel Chocks-----	Pg 53
-------------------	-------



AIRPORT ACCESSORIES

Aircraft Chocks, Windsocks, LED Batons & Wing Tip Markers-----	Pg 54
Warning Flags and Pennants-----	Pg 55



LAMBA

Lamba Floor Cones-----	Pg 57
Lamba Safety Cones-----	Pg 58
Lamba Floor Stands-----	Pg 59



WARNING LIGHTS

Low Profile Teardrop Strobe Pulsator LED Fire bolt LED Sentry Halogen Beacon Ultastar LED-----	Pg 60
---	-------



WARNING KITS

Warning Kits Triangles & Fusee Holders-----	Pg 61
---	-------




ROLLED GOODS

Rolled Goods-----	Pg 62
-------------------	-------




PALLET TOPPERS

Pallet Toppers-----	Pg 63
---------------------	-------



BARRICADES



PLASTX™ BARRICADES



Features:

- MASH Approved
- NCHRP-350 Certified
- Meets MUTCD Specifications
- Rugged heavy-duty design
- Designed for easy nesting and stacking
- Stenciling available
- Recessed and replaceable sheeted panels
- Accepts weight cartridge for additional weight
- Accepts barricade lights

Type I



Dimensions:

- Top Sheeted Panel - 12" x 24"
- Bottom Unsheeted Panel - 4" x 24"

Item #	Description
97-01-001	Engineer Grade Sheeting
97-01-001-01	Hi-Intensity Prismatic Sheeting
97-01-001-13	Diamond Grade Sheeting
97-01-001-11	Diamond Grade Fluorescent Orange Sheeting, Top Panel w/ Directional Arrow

Type II



Dimensions:

- Top Sheeted Panel - 8" x 24" or 12" x 24"
- Bottom Sheeted Panel - 8" x 24"

Item #	Description
Top Sheeted Panel: 8" x 24"	
97-01-002	Engineer Grade Sheeting
97-01-002-01	Hi-Intensity Prismatic Sheeting
97-01-002-08	Diamond Grade Sheeting
Top Sheeted Panel: 12" x 24"	
97-01-003-01	Engineer Grade Sheeting
97-01-003-02	Hi-Intensity Prismatic Sheeting
97-01-003-03	Diamond Grade Sheeting
97-01-003-11	Diamond Grade Fluorescent Orange Sheeting Top Panel w/ Directional Arrow. Hi-Intensity Bottom Panel

PLASTXFF™ BARRICADES



Features:

- MASH Approved
- NCHRP-350 Certified
- Meets MUTCD Specifications
- Rugged heavy-duty design to provide maximum use
- Designed for easy nesting and stacking

Type I



Dimensions:

- Top Sheeted Panel - 12" x 24"
- Bottom Unsheeted Panel - 8" x 24"

Item #	Description
Top Sheeted Panel: 8" x 24"	
97-01-501-05	Engineer Grade Sheeting Top Only
97-01-501-04	Hi Intensity Prismatic Sheeting Top Only
Top Sheeted Panel: 12" x 24"	
97-01-501	Engineer Grade Sheeting Top Only
97-01-501-01	Hi Intensity Prismatic Sheeting Top Only
97-01-501-13	Diamond Grade Sheeting

Type II



Dimensions:

- Top Sheeted Panel - 12" x 24"
- Bottom Sheeted Panel - 8" x 24"

Item #	Description
Top Sheeted Panel: 8" x 24"	
Bottom Sheeted Panel: 8" x 24"	
97-01-502-01	Hi Intensity Sheeting
97-01-502-08	Diamond Grade Sheeting
Top Sheeted Panel: 12" x 24"	
Bottom Sheeted Panel: 8" x 24"	
97-01-502	Engineer Grade Sheeting
97-01-503-13	Diamond Grade Sheeting
97-01-503-11	DG Sheeting Top Direction Indicator

(EG) Engineer Grade Sheeting (HIP) Hi-Intensity Prismatic Sheeting (DG) Diamond Grade Sheeting

PLASTX FF™ HD BARRICADES



Features:

- Accepts 24" x 36" signs
- Use your customized sign to fit our PLASTX FF HD Barricade
- Large EZ Grab Handles
- No rust, splinters or discoloration
- Made in the USA
- Rugged heavy-duty design to provide maximum use indoors and outdoors
- Weighs 20 lbs
- Designed for easy nesting and stacking
- Easily slide signs in and out

Available Legends

- | | |
|--------------|---|
| 97-01-504 | Plain PLASTX FF HD Barricade with no sign (use with your own customized sign) |
| 97-01-504-00 | FF Bar: "Warning Overhead Power Lines Watch Clearance" |
| 97-01-504-01 | FF Bar: "Warehouse Safety No Authorization etc..." |
| 97-01-504-02 | FF Bar: "Caution Forklift Trucks Sound Horn Caution Pedestrian" |
| 97-01-504-03 | FF Bar: "Caution Forklift In Operation" |
| 97-01-504-04 | FF Bar: "Sidewalk Closed" |
| 97-01-504-05 | FF Bar: "Mandatory Hat Vest Shoe Glasses" |
| 97-01-504-06 | FF Bar: "Caution Construction Area Authorized Personnel only" |
| 97-01-504-07 | FF Bar: "Caution Underground Pipeline" |
| 97-01-504-08 | FF Bar: "Think on the Job Safety Begins Here" |
| 97-01-504-09 | FF Bar: "Caution Watch for Moving Trucks" |
| 97-01-506-10 | FF Bar: "Caution Look " on black barricade |



M-CADE™ BARRICADES



Features:

- MASH Approved
- NCHRP-350 Certified
- Meets MUTCD Specifications
- Rugged heavy-duty design to provide maximum use
- Designed for easy nesting and stacking
- Recessed and replaceable sheeted panels

Type I



Dimensions:

- Top Sheeted Panel - 12" x 24"
- Bottom Unsheeted Panel - 4" x 24"
- Sandbar- 6" x 24"

Item #	Description
97-11-001-44	EG Sheeting w/Sandbar
97-11-001-45	HIP Sheeting w/Sandbar
97-11-001-46	DG Sheeting w/ Sandbar
97-11-001-11	DG Fluorescent Orange Sheeting, Top Panel with Directional Arrow

Type II



Dimensions:

- Top Sheeted Panel - 8" x 24" or 12" x 24"
- Bottom Sheeted Panel - 8" x 24"
- Sandbar- 6" x 24"

Item #	Description
Top Sheeted Panel: 8" x 24"	
97-11-002-44	EG Sheeting
97-11-002-45	HIP Sheeting
97-11-002-46	DG Sheeting
Top Sheeted Panel: 12" x 24"	
97-11-003-44	EG Sheeting
97-11-003-45	HIP Sheeting
97-11-003-46	DG Sheeting

M-CADE -IB



Dimensions:

- Top Sheeted Panel - 12" x 24"
- Bottom Unsheeted IB (Internal Ballast) Panel - 4" x 24"

Item #	Description
97-12-001-44	EG Sheeting
97-12-001-45	HIP Sheeting

(EG) Engineer Grade Sheeting (HIP) Hi-Intensity Prismatic Sheeting (DG) Diamond Grade Sheeting

STEELCADE BARRICADES



Features:

- MASH Approved
- NCHRP-350 Certified
- Meets MUTCD Specifications
- 14 Gauge powder coated legs
- Aluminum rivet construction
- Plastic panels that won't splinter or decay

Type I



Dimensions:
 Top Sheeted Panel - 12" x 24"
 Bottom Unsheeted Panel - 8" x 24"

Item #	Description
97-03-001	EG Sheeting
97-03-001-01	HIP Sheeting
97-03-001-16	DG Sheeting

Type I XL



Dimensions:
 Top Sheeted Panel - 8" x 36"
 Bottom Sheeted Panel - 8" x 36"

Item #	Description
97-03-001-36	EG Sheeting

Type II



Dimensions:
 Top Sheeted Panel - 8" x 24" or 12" x 24"
 Bottom Sheeted Panel - 8" x 24"

Item #	Description
Top Sheeted Panel: 8" x 24"	
97-03-002	EG Sheeting
97-03-002-01	HIP Sheeting
97-03-002-03	DG Sheeting
Top Sheeted Panel: 12" x 24"	
97-03-003-01	EG Sheeting
97-03-003-02	HIP Sheeting

Type II XL



Dimensions:
 Top Sheeted Panel - 8" x 36"
 Bottom Sheeted Panel - 8" x 36"

Item #	Description
97-03-002-36G	EG Sheeting

(EG) Engineer Grade Sheeting (HIP) Hi-Intensity Prismatic Sheeting (DG) Diamond Grade Sheeting

N-CADE BARRICADES



Features:

- NCHRP-350 Certified
- Meets MUTCD Specifications
- Injection molded with high-impact resin
- Easy to assemble, no tools required
- Ideal for narrow applications
- Recessed, replaceable

Overall Dimensions:

Height - 44"

Width - 14"

Sheeting Dimensions:

Height - 24"

Width - 12"



Item #	Description
97-01-007	Engineer Grade Sheeting
97-01-007-01	Hi-Intensity Prismatic Sheeting
97-01-007-03SX	Diamond Grade Fluorescent - School X-ing

A-FRAMES & T-BOARDS



Features:

A-Frame Barricades are paired with T-Boards to create an instant barrier. These barricades are: MASH Approved, NCHRP-350 Certified and meet MUTCD Specifications.

A-Frame

- Injection molded with high impact resin
- Universal slots accept a variety of boards
- Reinforced ribbing and molded light mount
- Nests together for easy storage

T-Board

- Extruded high density polyethylene
- Won't crack, splinter or warp
- Fits A-Frames and P-Cades



Dimensions:

- Height - 40.75"
- Width - 2"
- Depth - 29"
- Weight - 8lbs



- Available in 4', 6', 8', 10' and 12' lengths


Item #	Description
97-01-004-02	1 Board, White
97-01-004	2 Boards, White
97-01-004O	2 Boards, Orange
97-01-004-CE	2 Boards, White w/ weights

Item #	Description
2" x 8" Boards (fits A-Frames & P-Cades)	
97-01-0213	4'- Board - Plain
97-01-028	6'- Board - Plain
97-01-029	8'- Board - Plain
97-01-0210	10'- Board - Plain
97-01-0212	12'- Board - Plain
97-01-0213-01	4' Board - (1) Side EG Sheeting
97-01-0213-02	4' Board - (2) Sides EG Sheeting
97-01-0213-04	4' Board - (1) Side HIP Sheeting
97-01-0213-03	4' Board - (2) Sides HIP Sheeting
97-01-028-01	6' Board - (1) Side EG Sheeting
97-01-028-02	6' Board - (2) Sides EG Sheeting
97-01-028-04	6' Board - (1) Side HIP Sheeting
97-01-028-03	6' Board - (2) Sides HIP Sheeting
97-01-029B	8' Board - Plain Black
97-01-029B-03	8' Board - Black Board with HIP Orange Sheeting

** SEE PRICE LIST OR CALL FOR ADDITIONAL OPTIONS**

(EG) Engineer Grade Sheeting (HIP) Hi-Intensity Prismatic Sheeting (DG) Diamond Grade Sheeting

P-CADE BARRICADES



Features:

P-Cade Barricades are the perfect way to make your workzone ADA accessible.

- MASH Approved
- NCHRP-350 Certified
- Meets MUTCD Specifications
- Meets ADA Guidelines
- Injection molded with high-impact resin
- Easy to assemble, no tools required
- Uses 2" x 8" boards
- Accepts all barricade lights
- Reinforced ribbing

Dimensions:

- Height - 40"
- Width - 2.5"
- Depth - 29"
- Weight - 8lbs



Item

97-01-1600

Description

P-Cade Leg only

**** SEE PRICE LIST OR CALL FOR ADDITIONAL OPTIONS****

TELESPAR TYPE III BARRICADES



Features:

- MASH Approved
- NCHRP-350 Certified
- Meets MUTCD Specifications
- Galvanized steel tubing 14 gauge telespar steel for uprights and feet
- Universal mounting holes pre-punched 7/16"
- Accepts 2 barricade lights

Item #	Description
97-1700-4EG	4' Boards, 1 side Engineer Grade Striped Sheeting
97-1700-4HI	4' Boards, 1 Side Hi-Intensity Prismatic Striped Sheeting
97-1700-4DG	4' Boards, 1 Side Diamond Grade Striped Sheeting
97-1700-6EG	6' Boards, 1 side Engineer Grade Striped Sheeting
97-1700-6HI	6' Boards, 1 Side Hi-Intensity Prismatic Striped Sheeting
97-1700-6DG	6' Boards, 1 Side Diamond Grade Striped Sheeting
97-1700-8EG	8' Boards, 1 Side Engineer Grade Striped Sheeting
97-1700-8HI	8' Boards, 1 Side Hi-Intensity Prismatic Striped Sheeting
97-1700-8DG	8' Boards, 1 Side Diamond Grade Striped Sheeting



**** SEE PRICE LIST OR CALL FOR ADDITIONAL OPTIONS****

(EG) Engineer Grade Sheeting (HIP) Hi-Intensity Prismatic Sheeting (DG) Diamond Grade Sheeting

BARRICADE LIGHTS



Features:

Barricade lights add an additional measure of safety to your channelizing devices in the WorkZone area.
Three power options: 6 Volt, Solar Panel and D-Cell

LED Sundowner Features

- Meets MUTCD Standards
- ITE Certified
- Operates with 4 D-Cell Batteries
- 3-way (flashing, steady burn, off)
- LED lights located in strongest area of the case
- Simple one piece battery compartment
- Durable protected LED lighting assembly



D-CELL

Item #	Description
03-10-WAYDC	Yellow with Amber Lens

Boca Solar Light Features

- Solar module 0.3 w/ Mono Crystalline Panel 3-way (flashing, steady burn, o



Solar Panel

Item #	Description
03-10-NFSBL	LED Solar light w/ amber lens
03-10-BSBL	LED Solar light w/ red lens

Solar Light Features

- Solar module 0.3 w/ Mono Crystalline Panel
- 3-way (flashing, steady burn, off)
- Non-replaceable Battery
- Battery: 1.2V / 1800 mAh Ni-MH
- Battery life: 500x recharging cycle
- Operation current: 60 mA
- Built in Circuit Board



Item #	Description
03-10-SBLG	Yellow w/ amber lens
03-10-RSBLG	Yellow w/ red lens

Strato-Lite 6V Features

- Meets MUTCD Standards
- ITE Certified
- 3-way (flashing, steady burn, off)
- Weather resistant circuit chip
- 7" Polycarbonate Lens
- UV stabilized to resist fading
- Incandescent 6V w/ Photocell
- Operates with two 6 Volt Lantern Batteries



6-Volt


Item #	Description
03-10-3WAY6V	Yellow w/ amber lens



CHANNELIZING DEVICES



TRAILBOSS & TRAILGUIDE



Features:

- MASH Approved
- NCHRP-350 Certified
- Meets MUTCD Specifications
- Polyethylene with UV inhibitors to resist fading
- Two base options
- Available with reflective sheeting
- Withstands wide temperature ranges

TrailBOSS

Dimensions:
41" Height
Top - 18" Diameter
Bottom - 23" Diameter



Item #	Description
High Density Polyethylene	
03-780	No Sheeting
03-780-4EG	(4) 4" EG Sheeting
03-780-6EG	(4) 6" EG Sheeting
03-780-4HI	(4) 4" HIP Sheeting
03-780-6HI	(4) 6" HIP Sheeting
03-780-4FP	(4) 4" DG Sheeting
03-780-6FP	(4) 6" DG Sheeting
Low Density Polyethylene	
03-782	No Sheeting
03-782-4EG	(4) 4" EG Sheeting
03-782-6EG	(4) 6" EG Sheeting
03-782-4HI	(4) 4" HIP Sheeting
03-782-6HI	(4) 6" HIP Sheeting
03-782-4FP	(4) 4" DG Sheeting
03-782-6FP	(4) 6" DG Sheeting

(EG) Engineer Grade Sheeting (HIP) Hi-Intensity Prismatic Sheeting
(DG) Diamond Grade Sheeting

TrailGUIDE

Dimensions:
45" Height
Top - 13" Diameter
Bottom - 16" Diameter



(BLACK approved for use in Ontario and Newfoundland)

Item #	Description
Orange High Density	
03-755-P	No Sheeting
03-755-4EG	(4) 4" EG Sheeting
03-755-6EG	(4) 6" EG Sheeting
03-755-4HI	(4) 4" HIP Sheeting
03-755-6HI	(4) 6" HIP Sheeting
Black High Density	
03-756-P	No Sheeting
03-756-4HIO	(4) 4" HIP Sheeting "MTO-TC-54"
03-755-4FP	(4) 4" DG Sheeting
03-756-QCFP	(9) 4" DG Sheeting

Bases

Item #	Description
03-750-TRG	Rubber Tire Ring Base - TrailBoss
03-732WR	Recycled Rubber Base - TrailGuide
03-732	Canadian TrailGuide Base
03-732-25	25 lb Round Base
03-732-30	30 lb Round Base
03-732-40	40 lb Round Base



CHANNELIZERS



Features:

- MASH Approved
- NCHRP-350 Certified
- Meets MUTCD Specifications
- Molded Polyethylene
- UV inhibitors to resist fading
- Available with reflective sheeting
- Three base options
- Good target value, smaller roadway footprint

EZ Grab Channelizer



Dimensions:
49.8" H
42" Conical Height
7.56" Conical Width
at base

Item #	Description
03-750-64HLG	Lime (1) 6" / 4" HIP Sheeting
03-750-64HWG	White (1) 6" / 4" HIP Sheeting
03-750-64HBG	Blue (1) 6" / 4" HIP Sheeting
03-750-64HYG	Yellow (1) 6" / 4" HIP Sheeting
03-750-64HBLK	Black (1) 6" / 4" HIP Sheeting

Bases

Item #	Description
03-752-10	10lb Recycled Square Rubber Base
03-752-16	16lb Recycled Hexagon Rubber Base
03-752-30	30lb Recycled Rectangular Rubber Base



Grip N Go Channelizer

Item #	Description
03-750	No Sheeting
03-750-4FP	Orange (4) 4" DG Sheeting
03-750-4HI	Orange (4) 4" HIP Sheeting
03-750-6FP	Orange (4) 6" DG Sheeting
03-750-6HI	Orange (4) 6" HIP Sheeting
03-750-64HI	Orange (1) 6" / 4" HIP Sheeting



Channelizer Cones



Item #	Description
03-770-36-P	Orange 36" Plain
03-770-42-P	Orange 42" Plain
03-770-36-64OW	Orange 36" w 6"/4" Reflective Collar
03-770-36B	Blue 36" Plain
03-770-42B-P	Blue 42" Plain
03-770-36B64	Blue 36" w 6"/4" Reflective Collar
03-770-36L-P	Lime 36" Plain
03-770-42L-P	Lime 42" Plain
03-770-36L64	Lime 36" w 6"/4" Reflective Collar
03-770-36Y-P	Yellow 36" Plain
03-770-42Y-P	Yellow 42" Plain
03-770-36Y64	Yellow 36" w 6"/4" Reflective Collar

(EG) Engineer Grade Sheeting (HIP) Hi-Intensity Prismatic Sheeting (DG) Diamond Grade Sheeting

TRAILBLAZER XL



Features:

- MASH Approved
- NCHRP-350 Certified
- Meets MUTCD Specifications
- Molded Polyethylene
- UV inhibitors to resist fading
- Available with reflective sheeting
- Three base options
- Good target value, smaller roadway footprint

Trailblazer XL



Item #	Description
45" Trailblazer	
03-768-EG	EG Sheeting
03-768-HI	HIP Sheeting
03-768-DG	DG Sheeting
03-768W-EG	White - EG Sheeting
03-768W-HI	White - HIP Sheeting
03-768W-DG	White - DG Sheeting
03-768BLK-HI	Black - HIP Sheeting

**** SEE PRICE LIST OR CALL FOR ADDITIONAL OPTIONS****

(EG) Engineer Grade Sheeting (HIP) Hi-Intensity Prismatic Sheeting (DG) Diamond Grade Sheeting

Trailblazer Pedestrian Panel



Item #	Description
03-768LI-PX	Diamond Grade Sheeting with "State Law Pedestrian Crossing "STOP"
03-768LI-SFP	Diamond Grade Sheeting with Canadian Pedestrian Crossing "STOP"

Bases



Item #	Description
03-760-15	15lb, 18.5" w x 22"l x 1.3"h
03-760-20	20lb, 18.5" w x 22"l x 1.3"h
03-760-30	30lb, 18.5" w x 22"l x 2.6"h

TRAILBLAZER XL LEGENDS



Features:

- Meets MUTCD Specifications
- NCHRP-350 Certified
- Molded Polyethylene
- UV inhibitors to resist fading
- Available with reflective sheeting
- Easy to set-up or relocate
- Custom legends available

Trailblazer XL Legends




Item #	Description	Item #	Description
03-768-RS-LA	Orange - Uber Lyft Rideshare with Left Arrow	03-768BLK-RS-LA	Black - Uber Lyft Ride share with Left Arrow
03-768-RS-RA	Orange - Uber Lyft Rideshare with Right Arrow	03-768BLK-RS-RA	Black - Uber Lyft Ride share with Right Arrow
03-768-RS-U	Orange - Uber (Vertical) Uber (Horizontal)	03-768BLK-RS-U	Black - Uber (Vertical) Uber (Horizontal)
03-768-RS-AU	Orange - Uber Lyft Ride share with Up Arrow	03-768BLK-RS-AU	Black - Uber Lyft Ride share with Up Arrow
03-768BLK-ERA	Black - Exit with Right Arrow	03-768W-ERA	White - Exit with Right Arrow
03-768BLK-ELA	Black - Exit with Left Arrow	03-768W-ELA	White - Exit with Left Arrow
03-768BLK-PC	Black - Parking Closed	03-768W-PC	White - Parking Closed
03-768BLK-LF	Black - Lot Full	03-768W-LF	White - Lot Full
03-768BLK-PRA	Black - Park with Right Arrow	03-768W-PRA	White - Park with Right Arrow
03-768BLK-PLA	Black - Park with Left Arrow	03-768W-PLA	White - Park with Left Arrow
03-768BLK-P	Black - Park	03-768W-P	White - Park
03-768BLK-EDA	Black - Exit with Double Arrow	03-768W-EDA	White - Exit with Double Arrow
03-768BLK-SLOW	Black - Slow with Pedestrian Graphic at Top	03-768W-SLOW	White - Slow with Pedestrian Graphic at Top

**** SEE PRICE LIST OR CALL FOR ADDITIONAL OPTIONS****



DELINEATORS



EZ GRAB DELINEATOR



Features:

- Meets MUTCD Specifications
- Molded Polyethylene
- Available with reflective sheeting
- Flared post to accept bases
- UV inhibitors to resist fading
- Easy to set-up or relocate

EZ Grab Delineator



Item #	Description
03-747FG	45" Forest Green Post - (2) 3" HIP Collars
03-747LI	45" Lime Post - (2) 3" HIP Collars
03-747R	45" Red Post - (2) 3" HIP Collars
03-747W	45" White Post - (2) 3" HIP Collars
03-747BLK	45" Black Post - (2) 3" HIP Collars

Item #	Description
03-734	45" Orange Post - (2) 3" HIP Collars
03-737	45" Orange Post - (2) 3" HIP Collars w/ (2) Amber Reflectors
03-747	45" Orange Post - (2) 4" HIP Collars
03-747B	45" Blue Post - (2) 3" HIP Collars
03-747Y	45" Yellow Post - (2) 3" HIP Collars

Recycled Rubber Bases




Item #	Description
03-730	Recycled Square Rubber Base - 10 lbs.
03-730-10	Recycled Hexagon Rubber Base - 10 lbs.
03-730-HEX	Recycled Hexagon Rubber Base - 12 lbs.
03-731	Recycled Hexagon Rubber Base - 15 lbs.

(EG) Engineer Grade Sheeting (HIP) Hi-Intensity Prismatic Sheeting (DG) Diamond Grade Sheeting

EZ GRAB DELINEATOR


PERMANENT MOUNT



Features:

- Meets MUTCD Specifications
- Durable Black Polycarbonate base
- Molded Polyethylene
- UV inhibitors to resist fading
- Available with reflective sheeting
- Can affix to asphalt or concrete

EZ Grab Delineator Permanent Mount



Item #	Description
03-735	Orange Post - (2) 4" HIP Collars
03-735B	Blue Post - (2) 4" HIP Collars
03-735Y	Yellow Post- (2) 4" HIP Collars
03-735FG	Forest Green Post - (2) 4" HIP Collars
03-735LI	Lime Post - (2) 4" HIP Collars
03-735R	Red Post - (2) 4" HIP Collars
03-735W	White Post - (2) 4" HIP Collars
03-733-1	Polycarbonate 8" Diameter Plastic Base w/ hose clamp (5/8" bolt holes - bolts not included)

EZ Grab Delineator Permanent Mount Boxed Kits




Item #	Description
03-746ABC	Orange - (2) 4" HIP Collars & Base w/clamp*
03-746BABC	Blue - (2) 4" HIP Collars & Base w/clamp*
03-746YABC	Yellow - (2) 4" HIP Collars & Base w/clamp*
03-746FGABC	Forest Green - (2) 4" HIP Collars & Base w/clamp*
03-746LIABC	Lime - (2) 4" HIP Collars & Base w/clamp*
03-746RABC	Red - (2) 4" HIP Collars & Base w/clamp*
03-746WABC	White- (2) 4" HIP Collars & Base w/clamp*

* (5/8" bolt holes - bolts not included)

** SEE PRICE LIST OR CALL FOR ADDITIONAL OPTIONS**

(EG) Engineer Grade Sheeting (HIP) Hi-Intensity Prismatic Sheeting (DG) Diamond Grade Sheeting


DUAL GRIP DELINEATORS



Features:

- Meets MUTCD specifications
- NCHRP-350 certified
- MASH-16 Compliant
- Simple and effortless setup, movement, or relocation
- 100 % Impact Resistant Polyethylene
- UV Stabilized to Resist Fading

Bases



Item #	Description
03-730	Recycled Square Rubber Base - 10 lbs.
03-730-HEX	Recycled Hexagon Rubber Base - 12 lbs.
03-731	Recycled Hexagon Rubber Base - 15 lbs.


Dual Grip Delineators



Item #	Description
03-734D	42"EZ Grab Dual Grip Delineator with (2) 3" HIP Collars
03-747D	42"EZ Grab Dual Grip Delineator with (2) 4" HIP Collars

(EG) Engineer Grade Sheetting (HIP) Hi-Intensity Prismatic Sheetting (DG) Diamond Grade Sheetting

DELUX STACKABLE DELINEATOR



Features:

- Meets MUTCD Specifications
- Easy to set-up or relocate
- Molded Polyethylene
- UV inhibitors to resist fading
- Available with reflective sheeting
- Recycled Rubber Bases: 10lb, 12 lb, or 15 lb

Delux Stackable Delineator



Item #	Description
03-710	43" Orange Post w/ (2) 3" HIP Collars
03-714	43" Orange Post w/ (2) 4" HIP Collars
03-710-RCT	(1) Orange Post w/ (2) 3" HIP Collars & (1) Red Retractable Cone Topper
03-710-YCT	(1) 43" Orange Post w/ (2) 3" HIP Collars & (1) Yellow Retractable Cone Topper
03-710RBC-RCT	(1) 43" Orange Post w/ 10lb rubber base & (1) Red Retractable Cone Topper
03-710RBC-YCT	(1) 43" Orange Post w/ 10lb rubber base & (1) Yellow Retractable Cone Topper


Recycled Rubber Bases



Item #	Description
03-730	10 lb Recycled Square Rubber Base
03-730-HEX	12 lb Recycled Hexagon Rubber Base
03-731	15 lb Recycled Hexagon Rubber Base

(EG) Engineer Grade Sheeting (HIP) Hi-Intensity Prismatic Sheeting (DG) Diamond Grade Sheeting


SEQUENTIAL STRATOLITE DELINEATOR



Features:


- Easy to set-up or relocate
- Recycled Rubber Bases: 10lb, 12 lb., or 15 lb.
- Molded Polyethylene
- UV inhibitors to resist fading
- Available with reflective sheeting
- Strobe - (2) 6V lanterns, 850 ft visibility

Sequential Solar Strato-Lite Delineator



Item #	Description
03-734D-SEQ	42" w/(2) 3" hi collars ez-grab dual grip delineator post w/ light
03-10-SEQDPOST	Warning Light Only

6V EZ Grab Strobe Delineator




Item #	Description
03-739	Orange Flared Post w/ (2) 3" HIP Collars & 2-sided Amber LED Strobe 4 D-Cell



Recycled Rubber Bases

Item #	Description
03-730	10 lb. Recycled Square Rubber Base
03-731	15 lb. Recycled Rubber Base
03-730-HEX	12 lb. Recycled Hexagon Rubber Base

TUBULAR MARKERS



Features:

- Meets MUTCD Specifications
- 100% impact resistant Polyurethane
- Can be bonded to asphalt or concrete
- NCHRP-350 Certified
- UV inhibitors to resist fading
- Rebounds after impact

2" Diameter Flexible Delineators



Item #	Description
36" Flexible Delineator	
04-36-OWG	Orange - (2) 3" White HIP Collars w/ black base & pin
04-36-YYG	Yellow - (2) 3" Yellow HIP Collars w/ black base & pin
04-36-BWG	Black - (2) 3" White HIP Collars w/ black base & pin
04-36-GWG	Green - (2) 3" White HIP Collars w/ black base & pin
04-36-WWG	White - (2) 3" White HIP Collars w/ black base & pin
48" Flexible Delineator	
04-48-OWG	Orange - (2) 3" White HIP Collars w/ black base & pin
04-48-YYG	Yellow - (2) 3" Yellow HIP Collars w/ black base & pin
04-48-BWG	Black - (2) 3" White HIP Collars w/ black base & pin
04-48-GWG	Green - (2) 3" White HIP Collars w/ black base & pin
04-48-WWG	White - (2) 3" White HIP Collars w/ black base & pin
Options	
04-48-BEC	Black End Cap for Flexible Delineator
04-10-BASE	Black Base for Flexible Delineator - Universal
04-10-PAD	Butyl Pad - Adhesive Mounting pad


3" Diameter Flexible Delineators



Item #	Description
28" Flexible Delineator	
04-728	Orange - (2) 3" White HIP Collars w/ black base & pin
04-728Y	Yellow - (2) 3" Yellow HIP Collars w/ black base & pin
04-728W	White - (2) 3" White HIP Collars w/ black base & pin
36" Flexible Delineator	
04-736	Orange - (2) 3" White HIP Collars w/ black base & pin
04-736Y	Yellow - (2) 3" Yellow HIP Collars w/ black base & pin
04-736W	White - (2) 3" White HIP Collars w/ black base & pin
Options	
04-10-BASE	Black Base for Flexible Delineator - Universal
04-10-PAD	Butyl Pad - Adhesive Mounting Pad

(EG) Engineer Grade Sheeting (HIP) Hi-Intensity Prismatic Sheeting (DG) Diamond Grade Sheeting

FLAT TOP SURFACE MOUNT



Features:

- Meets MUTCD specifications NCHRP-350 certified
- MASH-16 Compliant
- NTPEP Protocol tested
- 180 degree flat visibility on the FTSD
- All Plastic Construction
- 8" Round High-Impact Black Plastic Base
- 2 3/8" diameter post
- 360 degree visibility on TSM

36" Flat Top Surface Mount



Standard Colors:

White
Yellow
Orange

Item #	Description
04-836O	36" Orange Post w/ White HIP Sheeting w/ black base & pin
04-836Y	36" Yellow Post w/ Yellow HIP Sheeting w/ black base & pin
04-836W	36" White Post w/ White HIP Sheeting w/ black base & pin

48" Flat Top Surface Mount



Kit includes:


Channelizer
Hinge
Base

Item #	Description
04-848O	48" Orange Post w/ White HIP Sheeting w/ black base & pin
04-848Y	48" Yellow Post w/ Yellow HIP Sheeting w/ black base & pin
04-848W	48" White Post w/ White HIP Sheeting w/ black base & pin

(EG) Engineer Grade Sheeting (HIP) Hi-Intensity Prismatic Sheeting (DG) Diamond Grade Sheeting



CONES



DW SERIES TRAFFIC CONES



Features:

- MASH Approved
- Meets MUTCD Specifications
- EZ Grip Handle
- Injection molded PVC
- Wide body design
- Black rugged base
- Recessed Reflective Collar
- Design Customization available

DW Cones without Collars



Item #	Description
18" Cones	
03-500-05	3lb Orange Cone
28" Cones	
03-500-07	7lb Orange Cone
03-500-18	10lb Orange Cone
03-500-64	7lb Blue Cone
03-500-65	7lb Lime Cone
03-500-66	7lb White Cone
03-500-67	7lb Yellow Cone
36" Cones	
03-500-08	10lb Orange Cone
03-500-17	12lb Orange Cone
03-500-08LI	10lb Lime Cone



DW Cones with Collars




Item #	Description
18" Cones	
03-500-21	3lb Orange Cone with 6" Collar
28" Cones	
03-500-10	7lb Orange Cone with 4"/6" Collar
03-500-24	10lb Orange Cone with 4"/6" Collar
03-500-01	7lb Orange Cone with 4" Collar
03-500-68	7lb Lime Cone with 4"/6" Collar
03-500-69	7lb Blue Cone with 4"/6" Collar
03-500-75	7lb Yellow Cone with 4"/6" Collar
03-500-77	7lb White Cone with 4"/6" Collar
36" Cones	
03-500-06	10lb Orange Cone with 4"/6" Collar
03-500-25	12lb Orange Cone with 4"/6" Collar
03-500-06LI	10lb Lime Cone with (1) 6" and (1) 4" reflective collars
03-500-27	10 lb Orange Cone with Stencil on one side: "FDOT 102-005-020" (1) 6" and (1) 4" reflective collars
DW Slim Line Cones (narrow body design)	
03-500-50	28". 5lb Orange Cone with 4"/6" Collar
03-500-51	28", 7lb Orange Cone with 4"/6" Collar
03-500-52	28", 10lb Orange Cone with 4"/6" Collar



03-500-52 - Slim Line

W SERIES TRAFFIC CONES



Features:

- MASH Approved
- Meets MUTCD Specifications
- EZ Grip Handle
- Injection molded PVC
- Wide body design
- Solid colored cone
- Available with reflective collars
- Customization available

W Cones with Collars



W Cones without Collars



Item #	Description
18" Cones	
03-500-21O	Orange Cone with 6" Collar
03-500-21LI	Lime Cone with 6" Collar
28" Cones	
03-500-100	Orange Cone with 4"/6" Collar

Item #	Description
18" Cones	
03-500-05O	Orange Cone
03-500-05LI	Lime Cone
03-500-60	Blue Cone
03-500-63	Yellow Cone
03-500-62	White Cone
28" Cones	
03-500-07O	Orange Cone

SPORT CONES



Features:

- Injection molded HDPE
- Stenciling available
- Available in two sizes 5" & 18"

Sport Cones



Item #	Description
5" Cones	
03-500-34	Orange Cone
03-500-34-02	Blue Cone
03-500-34-06	Yellow Cone
03-500-34-08	Lime Cone
03-500-34-09	White Cone
03-500-34-10	Pink Cone
03-500-34-11	Red Cone
03-500-34-12	Purple Cone


18" Cones	
03-500-30	Black Cone
03-500-31	Pink Cone
03-500-36	Red Cone
03-500-37	White Cone
03-500-38	Yellow Cone
03-500-39	Blue Cone
03-500-40	Green Cone
03-500-41	Lime Cone
03-500-42	Orange Cone

Stenciled Cones



Item #	Description
03-500-41-02	18" Lime Cone with Stencil "Kids at Play"
03-500-41-01	18" Lime Cone with Stencil "Danger Drop Zone"

PACK N POP CONES



Features:

- MASH Approved
- Meets MUTCD Specifications
- Waterproof nylon
- Collapses to 2" High for easy storage
- Reflective permanent collars
- 850 ft. nighttime visibility

Pack N Pop Cones




Item #	Description
18" Cones	
03-501-06	Orange Cone with 4"/6" reflective collar, plastic base, no feet & (4) LED's (4 pack)
28" Cones	
03-501-01	Orange Cone with 4"/6" reflective collar, plastic base, feet & (4) LED's
03-501-02	Orange Cone with 4"/6" reflective collar, plastic base, feet & (4) LED's (4 pack)
03-501-03	Orange Cone with 4"/6" reflective collar, plastic base, feet & (4) LED's (5 pack)
30" Cones	
03-501-04	Orange cone with 4"/6" reflective collar, rubber base & (4) LED's
03-501-05	Orange cone with 4"/6" reflective collar, rubber base & (4) LED's (5 pack)
Accessories	
03-501-EBG	28" Pack N Pop Bag only (single pack bag)
03-501-E5BG	28" Pack N Pop Bag only (4 & 5 pack bag)
03-501-5BG	30" Pack N Pop Bag only (single pack bag)
03-501-52BG	30" Pack N Pop Bag only (5 pack bag)

Economy Pop-Up Cones




Item #	Description
28" Cones	
03-500-80	Orange cone with 4"/6" reflective collars w/light
03-500-80-5	Orange cone with 4"/6" reflective collars w/light (5 pack)
03-500-80NL	Orange cone with 4"/6" reflective collars without light
03-500-80KT	Orange cone with 4"/6" reflective collars without light (5 pack)

CONE ACCESSORIES



Features:

Retractable Cone Bar



Item #	Description
03-824CB	Retractable 5'-9' Orange w/ (3) 4" Silver HI Wraps
13-03-824CB	Cone Bar Ring Only, Orange for 03-824CB
03-829CB-R	Retractable 6'-10' White w/ (2) 6" Red HI Wraps
03-829CB-G	Retractable 4'-6' White w/ (2) 6" Green HI Wraps
03-829CB-B	Retractable 4'-6' White w/ (2) 6" Blue HI Wraps
03-829CB-O	Retractable 4'-6' White w/ (2) 6" Orange HI Wraps
03-829CB-BLK	Retractable 5'-9' White w/ (2) 6" Gold HI Wraps
03-829-CB-O	Retractable 5'-9' White w/ (2) 6" Orange HI Wraps

WorkZone Safety Caddy



Item #	Description
03-734-CADDY	Small caddy, Top 6" Diameter Bottom 10" Diameter with (4) cubbies (<i>Delineators/Channelizers</i>)
03-500-CADDY	Large Caddy, Top 10" Diameter Bottom 16" Diameter with (6) cubbies (<i>Cones</i>)

Cone Cart



03-500-CC	Cone Cart, portable, holds up to 500lbs (Overall Dims: 47"H x 24.5 w x 24"D)
-----------	--

Cone Light



Item #	Description
03-10-CLG	Cone light, incandescent, amber lens
03-10-CLGR	Cone light, incandescent, red lens

Topper



Item #	Description
03-828RCT	Red Cone Topper w/ 9.5' Retractable Red/White Tape
03-828YCT	Yellow Cone Topper w/ 9.5' Retractable Yellow/Black Tape

CONE SIGNS



Features:

- Meets MUTCD Specifications
- Injection molded, one-piece design
- Customization available
- High-impact ABS resin
- Will not warp, bend, splinter or flake
- Excellent for extreme weather conditions
- UV color protection - won't fade



Dimensions:
12.75" W x 10.5" H

Item #	Description	Item #	Description	Item #	Description
03-550-AKR	Keep Right w/ Right Arrow	03-550-H	Handicap Symbol (Blue)	03-550-S	Slow
03-550-BL	Blank	03-550-EO	Exit Only	03-550-SC	Sidewalk Closed
03-550-C	Caution	03-550-NP	No Parking (White)	03-550-STOP	Stop
03-550-CL	Closed	03-550-MW	Men Working	03-550-WP	Wet Paint
03-550-DNE	Do Not Enter	03-550-R	Reserved	03-550-2WA	Reversible Arrow

** SEE PRICE LIST OR CALL FOR ADDITIONAL OPTIONS**

CONE BAR ROLL-UP SIGNS



Features:

- Meets MUTCD Specifications
- Snap design for quick attachment
- Designed to use with any size traffic cone or cone bar
- Vinyl - suitable for all weather conditions



Reflective Cone Bar Roll-Up Signs


Item #	Description
24" x 24"	
07-900-1001	No Left Turn (White)
07-900-1002	No Right Turn (White)
18" x 24"	
07-900-1101	Keep Left w/ Left Arrow (White)
07-900-1102	Keep Right w/ Right Arrow (White)
24" x 12"	
07-900-1201	Sidewalk Closed (White)
07-900-1211	Crosswalk Closed (White)
07-900-1219	Danger (White)
07-900-1220	Do Not Enter Symbol (White)
18" x 18"	
07-900-1301	No Parking Symbol (White)
07-900-1302	No Pedestrian Symbol (White)

Non-reflective Cone Bar Roll-Up Signs

Item #	Description
24" x 24"	
07-900-5001	No Left Turn Symbol (White)
07-900-5002	No Right Turn Symbol (White)
18" x 24"	
07-900-5101	Keep Left w/ Left Arrow (White)
07-900-5102	Keep Right w/ Right Arrow (White)
24" x 12"	
07-900-5201	Sidewalk Closed (White)
07-900-5211	Crosswalk Closed (White)
07-900-5219	Danger (White)
07-900-5220	Do Not Enter Symbol (White)
18" x 18"	
07-900-5301	No Parking Symbol (White)
07-900-5302	No Pedestrian Symbol (White)



SIGNS & SIGN STANDS



QUADRA FLEX ROLL-UP SIGNS



Features:

- MASH Approved
- NCHRP-350 Certified
- Meets MUTCD Specifications
- Lexan Polycarbonate pockets
- Ribs prevent splinters and fraying
- Available in 36" or 48" sizes
- Fiberglass rib sets included

MATERIAL	ORANGE	PINK	WHITE	LIME	YELLOW
Mesh Nonreflective	✓				
Vinyl Nonreflective	✓				
Superbright Reflective	✓		✓		✓
Superbright Fluorescent	✓	✓			
Marathon Fluorescent	✓		✓	✓	
Diamond Grade Reflective	✓		✓		

Available Legends**

- | | | | |
|----------------------|-------------------------------------|---------------------------------------|-------------------------------|
| Arrow Left Symbol | Construction Overhead | Merge Left | Ramp Closed |
| Arrow Right Symbol | Detour | Merge Right | Right Lane Closed |
| Arrow Up Symbol | Do Not Pass Symbol (<i>White</i>) | Mower Ahead | Road Closed Ahead |
| Be Prepared to Stop | End Construction | No Exit | Road Work Ahead |
| Bike Lane Closed | End Road Work | No Left Turn Symbol (<i>White</i>) | Rumble Strip Ahead |
| Border Only | Flagger Symbol | No Right Turn Symbol (<i>White</i>) | Shoulder Closed |
| Bump | Lane Closed | No Shoulder | Utility Construction Ahead |
| Caution Construction | Lane Closed Ahead | One Lane Road | Worker Symbol |
| Construction Ahead | Men Working | Pedestrian Crossing Symbol | Yield Symbol (<i>White</i>) |

** SEE PRICE LIST OR CALL FOR ADDITIONAL OPTIONS**


QUADRAFLEX SINGLE SPRING SIGN STANDS



Features:

Quadra Flex V "The Original"

- The Original sign stand Aircraft aluminum alloy legs and uprights with anti-skid rubber leg caps
- Aircraft aluminum alloy legs and uprights with anti-skid rubber leg caps
- Steel base and spring components coated to withstand 500 hrs of salt spray
- Designed to withstand strong wind gusts
- Adjustable legs for stability on uneven terrain
- Kick-release legs
- One person deployment
- Triple Flag Holder for Flags with Wooden Dowels



Item #	Description
07-813	Single Enclosed Spring Base Only
07-813-1	Stand w/Bracket for 36" Roll-Up Sign
07-813-2	Stand w/ Bracket for 48" Roll-Up Sign
07-813-3	Stand w/ Brackets & Telescoping mast for 36" & 48" Signs

QuadraFlex VI


- Steel base and spring components coated to withstand 500 hrs. of salt spray
- Designed to withstand strong wind gusts
- Adjustable legs for stability on uneven terrain
- Kick-release legs
- One person deployment
- Triple Flag Holder for Flags with Wooden Dowels



Single Spring Stands

Item #	Description
07-802-1	Single Spring Base Only
07-804-1	Stand w/ bracket for 36" Roll-Up Sign
07-804-2	Stand w/ bracket for 48" Roll-Up Sign
07-804-3	Stand w/ bracket - telescoping mast for 36" or 48" Signs

QUADRAFLEX DUAL SPRING SIGN STANDS



Features:

- MASH Approved
- Aircraft aluminum alloy legs and uprights with anti-skid rubber leg caps
- Steel base and spring components coated to withstand 500 hours of salt spray
- Designed to withstand strong wind gusts
- Adjustable legs for stability on uneven terrain
- Kick-release legs
- One person deployment
- Triple Flag Holder for Flags with Wooden Dowels



Item #	Description
07-801	Stand ONLY w/o brackets, Signs 18" off the ground
07-801-1	Stand w/bracket for Roll-Up Sign, 18" off ground
07-801-2	Stand w/ bracket for Rigid Signs, 18" off ground
07-801-3	Stand w/ brackets for Roll-Up Signs & Rigid Signs, 18" off ground
07-824	Stand, no brackets for signs 5' or 7' off ground
07-824-1	Stand w/ bracket for Roll-Up Signs 5' or 7' off ground
07-824-2	Stand w/ bracket for Rigid Signs 5' or 7' off ground
07-824-3	Stand w/ brackets for Roll-Up & Rigid Signs 5' or 7' off ground

QUADRAFLEX COMPACT SIGN STANDS & ACCESSORIES



Features:

- Aircraft aluminum alloy legs and uprights with anti-skid rubber leg caps
- Steel base and spring components coated to withstand 500 hrs of salt spray (07-819-3)
- Designed to withstand strong wind gusts
- Adjustable legs for stability on uneven terrain
- Kick-release legs
- One person deployment
- For use with Roll-Up signs
- Includes bracket and telescoping legs
- MASH Approved

QuadraFlex Compact Sign Stands



Item #	Description
Universal Screw-lock Stands	
07-819-1	QLVI No spring aluminum legs w/ screw-lock sign holder
07-816-1	QFVI Single spring aluminum legs w/ screw-lock sign holder
07-826	Hitch mount stand w/ screw-lock sign holder
Pocket Latch Stands	
07-819-3	QLVI-L No spring steel legs w/ pocket latch
07-841	QFVI Rubber base stand w/ pocket latch

Stand Accessories



Item #	Description
07-806	Single Spring Mast - 36" Roll-Up
07-807	Single Spring Mast - 48" Roll-Up
07-808	Single Spring - 36" & 48" Telescoping Mast
07-802-2	Roll-Up bracket only (requires 1) Rigid bracket only, converts stand for rigid signs (requires 2)
07-809	Universal Sign Clamp
03-229-3417	Vinyl flag with 24" dowel
03-798	Folding Flag mechanism for Roll-Up signs
07-835	Carry Bag for 36" Roll-Up signs
07-836	Carry Bag for 48" Roll-Up signs

CANADIAN QUADRAFLEX ROLL-UP SIGNS



Features:

Canadian QuadraFlex Roll-Up Signs are a quick and effective way to call attention to your workzone with a variety of standard Canadian legends available.

- MASH Approved
- NCHRP-350 Certified
- Ministry Approved Legends
- Available in 24", 30" 36" and 48" Provincial sizes
- Fiberglass rib sets included

Lexan Polycarbonate pockets Ribs prevent splinters and fraying

Item #	Description
24cm x 24cm	
07-800-35107	Ligne D'arret (Right) (White)
07-800-1237-L	Keep Right (White)
60cm x 75cm	
07-800-35102	Ligne D'arret
75cm x 75cm	
07-800-1240	Accident
07-800-35101	Do Not Pass Symbol
07-800-0123-L	Men At Work Symbol
07-800-0136-L	Yield Ahead Symbol
90cm x 90cm	
07-800-3060-L	Arrow Symbol 45
07-800-3026-L	Men At Work Symbol
07-800-3057-L	Road Closed Symbol
07-800-3056-L	Yield Symbol to Oncoming Traffic



**** SEE PRICE LIST OR CALL FOR ADDITIONAL OPTIONS****

QUADRA FLEX SQUARE & RECTANGLE ROLL-UP SIGNS



Features:

- MASH Approved
- NCHRP-350 Certified
- Meets MUTCD Specifications
- Lexan Polycarbonate pockets
- Fiberglass rib sets included
- Ribs prevent splinters and fraying

Available sizes:


48"x 48"	36"x 36"	60"x 30"
30"x 24"	48"x 24"	48"x 60"
48"x 18"	48"x 30"	48"x 48"
30" x 30"	24" x 24"	24" x 30"

Available Legends

- Detour Inside Arrow M4-10I
- End Road Work
- Road Closed
- Road Closed to Thru Traffic
- Injure/Kill a Worker 7500 / 15 Years
- Speed Limit 45
- Speed Limit 50
- Speed Limit 55
- Traffic Fines Doubles In Work Zones
- Where Workers Present 45
- Work Zone Begins

** SEE PRICE LIST OR CALL FOR ADDITIONAL OPTIONS**

QUADRA ROLL COMPACT SIGN SYSTEMS



Features:

- NCHRP-350 Certified
- Meets MUTCD Specifications
- Available with 36" or 48" signs
- MASH Approved
- Available w/ spring or non-spring stands
- Available in reflective pink, orange, yellow and white
- Message flexibility with velcro and overlays
- Folding Flag option available

Dimensions:

- 36" System Storage size: 7" x 8" x 37.5"
- 48" System Storage size: 7" x 8" x 46.5"



Non-Spring Stands

Item #	Description
36" x 36"	
07-819-0004	Emergency Scene Ahead
07-819-0005	Accident Ahead
07-819-0006	Incident Ahead
48" x 48"	
07-819-0031	Accident Ahead
07-819-0032	Emergency Scene Ahead
07-819-0033	Incident Ahead

Single Spring Stands

Item #	Description
36" x 36"	
07-816-0004	Emergency Scene Ahead
07-816-0005	Accident Ahead
07-816-0006	Incident Ahead
48" x 48"	
07-816-0031	Accident Ahead
07-816-0032	Emergency Scene Ahead
07-816-0033	Incident Ahead

MEDIAN/JERSEY BARRIER SIGN



Features:

- Displays 36" and 48" roll-up or rigid signs on concrete highway median barrier
- Works on barriers from 5" to 11" wide
- Attaches firmly to barrier using four T-Handle Bolts
- Utilizes a twin spring system increasing stability in windy conditions
- Features an aluminum mast with choice of roll-up or rigid brackets
- Includes flag holder for 3 standard warning flags


Dimensions:

- Displays Top of barrier to bottom of sign at 18"
- Assembled Size: 26" x 13" x 88"
- Attaches firmly to barrier using four T-Handle Bolts

07-843	Median Barrier Mount Sign Stand with Mast only
07-843-1	Median Barrier Mount Sign Stand with Mast and Roll-up Sign Bracket
07-843-2	Median Barrier Mount Sign Stand with Mast and Rigid Sign Brackets
07-843-3	Median Barrier mount Sign Stand with Mast, Roll-up and Rigid Sign Bracket



TRI-POD SIGN STANDS



Features:

- Securely holds Rigid signs and Roll-Up Signs with adapter (Sold separately)
- Folds compactly for easy storage Powder coated orange painted galvanized steel legs for enhanced visibility.
- Three pivoting legs and sliding mast
- Powder Coated Galvanized Orange painted Steel legs Tri-Pod expands to hold Rigid Signs

Heavy Duty Tri-Pod Stand



Item #	Description
07-821	Heavy Duty Tripod Stand for 36" & 48" Rigid Signs
07-821-1	Heavy Duty Tri-Pod Bracket(Adapter for Roll-up Signs)

Economy Tri-Pod Stand



Item#	Description
07-822	Tripod Stand for 36" & 48" Rigid Signs



← QUICK COUPLER

← 3 BREAK AWAY
POINTS FOR
COMPACT
STORAGE

STOP/ SLOW SIGNS



Features:

- Meets MUTCD Specifications
- 18" & 24" Paddles
- Silk Screened, or reflective EG, HI or DG Sheeting
- Letter Size: 6" for 18" or 8" for 24"
- Silk Screened on ABS Plastic .080
- Aluminum scratch resistant

Item # Description

18" Paddles

03-820	Stop/Go Non-reflective Aluminum Paddle w/9" Polygrip Handle
03-830	Stop/Slow Non-reflective Aluminum Paddle w/9" Polygrip Handle
03-831	Stop/Stop Non-reflective Aluminum Paddle w/9" Polygrip Handle
03-835	Stop/Slow Plastic Paddle with EG Sheeting
03-836	Stop/Slow Plastic Paddle with HI Sheeting
03-837	Stop/Slow Plastic Paddle with DG Sheeting
03-838	Stop/Slow Non-reflective Plastic Paddle only
03-851	Stop/Slow Non-reflective Plastic Paddle w/9" Polygrip Handle
03-851-25	Stop/Slow Non-reflective Corrugated Plastic Paddle w/9" Polygrip Handle
03-852	Stop/Slow Plastic Paddle with EG Sheeting & 9" Polygrip Handle
03-853	Stop/Slow Plastic Paddle with HI Sheeting & 9" Polygrip Handle
03-854	Stop/Stop Non-reflective Plastic Paddle w/ 9" Polygrip Handle
03-855	Stop/Stop Plastic Paddle w/ EG Sheeting & 9" Polygrip Handle
03-856	Stop/Stop Plastic Paddle w/ HI Sheeting & 9" Polygrip Handle
03-857	Stop/Slow Plastic Paddle & Telescoping handle w/ HI LIME Sheeting (Canada Spec Only)
03-862	Stop/Slow Non-reflective Aluminum Paddle w/ 72" Wooden Handle
03-863	Stop/Slow Non-reflective Aluminum Paddle w/ 8" Steel Handle
03-864	Stop/Slow Non-reflective Aluminum Paddle w/ 8" Wood Handle
03-869	Stop/Slow Plastic Paddle w/ EG Sheeting & 72" Wood Handle
03-891-AL	Arret/Lentement Plastic Paddle w/ EG Sheeting
03-892-AL	Arret/Lentement Plastic Paddle w/ HI Sheeting

24" Paddles


03-822	Stop/Slow Plastic Paddle with EG Sheeting
03-822P	Stop/Slow Plastic Paddle with EG Sheeting & 81" Plastic Handle
03-823	Stop/Slow Plastic Paddle with HI Sheeting
03-823P	Stop/Slow Plastic Paddle with HI Sheeting & 81" Plastic Handle
03-826	Stop/Slow Plastic Paddle with DG Sheeting
03-826P	Stop/Slow Plastic Paddle with DG Sheeting & 81" Plastic Handle
03-827	Stop/Slow Nonreflective Plastic Paddle only
03-827P	Stop/Slow Nonreflective Aluminum Paddle w/ 72" Wood Handle
03-867	24" Stop/Slow Aluminum Paddle NR w/ 72" Wood Handle
03-868	Stop/Slow Aluminum Paddle w/ HI Sheeting w/ 72" Wood Handle
03-870	Stop/Slow Aluminum Paddle w/ EG Sheeting w/ 72" Wood Handle
03-873	24" DG Stop/Slow Paddle w/ 72" Wood Handle

Options

03-814	Cover for 18" Paddle - Orange
03-815	Cover for 24" Paddle - Orange
03-824-HD	88" Heavy Duty Plastic Telescoping Handle Only (two pieces) 03-824-MI
03-824-MI	Handle, 81" heavy Duty Plastic w/ upper red handle (two pieces, MI spec)
03-825-2	Hardware Kit for paddle & 81" Plastic
03-850H	9" Polygrip Handle w/ hardware
03-834	72" Wood Handle w/ hardware

(EG) Engineer Grade Sheeting (HIP) Hi-Intensity Prismatic Sheeting (DG) Diamond Grade Sheeting

LED STOP/SLOW SIGNS



Features:

LED STOP/SLOW Signs



Item #	Description
12" Paddles	
03-816	Stop/Stop HI w/ 6" Padded Handle
03-816-25	Stop/Stop HI w/ 6" Padded Handle & Cover
03-817	Stop/Stop HI Paddle w/ 6" Padded Handle (Canada)
18" Paddles	
03-818	Stop/Stop HI w/ 6" Padded Handle
03-818-27	Stop/Stop HI w/ 6" Padded Handle & Cover
03-819	Stop/Slow HI w/ 6" Padded Handle
03-819-28	Stop/Slow HI w/ 6" Padded Handle & Cover
24" Paddles	
03-845	Stop/Slow HI w/ 6" Padded Handle
03-845-10	Stop/Slow HI w/ Telescopic 4'-8' Handle & Paddle Cover
03-846	Stop/Slow DG w/ 6" Padded Handle
03-846-11	Stop/Slow DG w/ Telescopic 4'-8' Handle & Paddle Cover
03-812-O	Holder, Orange Telescopic 4'-8' w/ holder for LED Paddles
03-812-BH	Holder, Black
03-810-C	Replacement Charger
03-810-BATTERY	Battery Replacement

Roll-Up STOP/SLOW Signs

- Comes is a convenient carrying case Telescoping handle is easily assembled & disassembled
- Stop/Slow paddle rolls-up & saves space 18" Marathon, Non-reflective Vinyl or Super Bright 18" Fluorescent Lime Marathon (Canada)
- 24" Non-reflective Vinyl, or Super Bright
- Storage size 51" x 9.5"



Item #	Description
03-881-TEL	18" Marathon Reflective Stop/Lime Slow (Canada)
03-882-TEL	18" Non-reflective Stop/Slow
03-883-TEL	24" Non-reflective Stop/Slow
03-884-TEL	18" Super bright Stop/Slow
03-885-TEL	24" Super bright Stop/Slow

(EG) Engineer Grade Sheeting (HIP) Hi-Intensity Prismatic Sheeting (DG) Diamond Grade Sheeting

RUMBLE STRIPS



Features:

- Meets MUTCD Section 6F.87 Guidelines
- Tread Height = 1/16" Made of Polyurethane
- Each section weighs 25lbs
- 4'L connecting pieces for length customization
- Ideal to reduce speeds for any workzone
- One person installation - no nails or glue
- Withstands temperature ranges
- Water and chemical resistant

Rumble Strips

Recommended usage is 3 complete sets for entering and exiting the workzone. Each set is comprised of a minimum of (3) 4' pieces.



Item #	Description
2090-BLK	Rumble Strip - Black
2090-ORG	Rumble Strip - Orange
2090-YLW	Rumble Strip - Yellow


JOBSITE TOOLS



Features:

Essential jobsite tools for your workzone!

Guardian Roof Warning Line Perimeter



Item #	Description
03-765	Guardian Rooftop Perimeter Grip-N-Go Orange Cone
03-765RBC	Guardian Rooftop Perimeter Kit: (50) Grip-N-Go Cones (50) Bases (2) Strands of Red/Yellow Pennants
03-400-105	105' Red, (42) 12" x 9" flags/strands OSHA Compliant
03-405-105	105' Yellow, (42) 12" x 9" flags/strands OSHA Compliant
03-407-105	105' Red & Yellow (42) 12" x 9" flags/strands OSHA Compliant
03-752-30	30lb Recycled Rectangular Rubber Base OSHA Compliant

First Responder

- Handles for easy set-up and removal
- Fire extinguisher sold separately
- Rugged HDPE
- Stackable for easy storage
- Can accommodate up to a 25 lb. Fire Extinguisher

Item #	Description
03-229-3401	Fire extinguisher stand



Quick Deploy STOP Signs


Quick setup and easy to use Highly visible Kit includes:

- (1) White Delineator Post
- (1) 15lb Recycled Rubber base
- (2) ABS STOP Signs

Item #	Description
03-747QD	Non-reflective Signs
03-747QDH-15	Hi-Intensity Prismatic Signs
03-747QDDG15	Fluorescent Signs
03-747QD15	Quick Deploy Sign System (1) Orange Open Top Delineator Post (2) ABS Stop Signs (1) 15lb Recycled Rubber Base



FENCING & REBAR CAPS



Features:


Rebar Caps*



Item #	Description
97-1810	Rebar Cap - Orange - 3.5"W x 3.5"H (CAL-OSHA), fits rebar #3-8, 3/8" to 7/8" dia.
97-1811	Rebar Cap - Lime - 2.25"W x 2.5"H (A-5), fits rebar #3/8 to 3/4" dia. Also fits inside 1" D pipe
97-1812-1	Rebar Cap - Lime - 2.5"W x 3.0"H (A-10), fits rebar 3/8" to 1-1/4" dia. Also fits inside 1-3/4" ID pipe
97-1813	Rebar Cap - Lime - 2.75"W x 3.5"H (A-20), fits rebar 1" to 2 1/4" dia. Also fits inside 1-3/4" ID pipe
97-1814	Rebar Cap - White - 2.75"W x 3.5H (A-20), fits rebar 1" to 2 1/4" dia. Also fits inside 1-3/4" ID pipe


* 100 Per case

Fencing



Item #	Description
03-904	4' x 100' - Orange General Purpose 12lbs (48 rolls/pallet)
03-906-MGO	4' x 50' - Orange Mid Grade Diamond 14lbs (30 rolls/pallet)
03-907-5MGO	5' x 50' - Orange Mid Grade Diamond 23lbs (30 rolls/pallet)
03-905-HDO	4' x 100' - Orange Heavy-Duty Diamond 32lbs (48 rolls/pallet)
03-900	4' x 50' - Orange Plastic Mesh Diamond 9lbs (35 rolls/pallet)
03-901	4' x 100' - Orange Plastic Mesh Diamond 17lbs (16 rolls/pallet)
03-902	4' x 100' - Orange Lightweight 11lbs (48 rolls/pallet)
03-902-1	4' x 100' - Kryptonite (Lime) Lightweight 11lbs (48 rolls/pallet)

CABLE PROTECTORS



Features:

- For vehicle & pedestrian applications
- Diamond plate tread surface for increased tire traction
- Easy Set-up
- Solid Cast Polyurethane
- Available in 3, 5 and 7 channel configurations
- Lids connected with reinforced fiberglass rods that won't rust
- Available with various load ratings



Item # Description

Liteguard

2070-3 (3) 1.25" Channels, 14,000lb load rating
(Overall Dimensions: 36"L x 13"W x 1.75"H)


Ultraguard

2070-5 (5) 1.38" Channels, 20,000lb load rating, 24lbs (Overall Dimensions: 36"L x 13"W x 1.75"H)

2070-ADAPTER 2 piece adapter for 2070-5 (Connect Cable Guards Together) (7.75"L x 3"W x 1.75"H)

2070-7 (7) 1.38" Channel, 18,000lb load rating, 30lbs (Overall Dimensions: 36" L x 24"W x 1.75"H)

Dropovers



Item # Description

2080-DP-B (1) 4" Channel, Black Dropover, 7,500lb load rating (Overall Dimensions: 36"L x 10.5"W x 1.5"H)


2080-DP-R (1) 4" Channel, Red Dropover, 7,500lb load rating (Overall Dimensions: 36"L x 10.5"W x 1.5"H)

2082-B (1) 7.5" Channel, Heavy Duty Black, 8,850lb load rating (Overall Dimensions: 36"L x 20"W x 2.5"H)

2082-R (1) 7.5" Channel, Heavy Duty Red, 8,850lb load rating (Overall Dimensions: 36"L x 20"W x 2.5"H)

**** SEE PRICE LIST OR CALL FOR ADDITIONAL OPTIONS****

PARKING LOT AIDS



Features:

Parking Blocks

- Recycled Rubber - won't crack, warp or decay
- Withstands temp. extremes, oil & moisture
- Dimensions: 4.5"H x 6"W Need (2) spikes for 3', need (3) spikes for 4', need (4) spikes for 6'



Speed Bumps

- Recycled Rubber - won't crack, warp or decay
- Built-in cat eye reflectors Withstands temp. extremes, oil & moisture
- Dimensions: 4.5"H x 12"W
- Need (2) spikes for 3', need (3) spikes for 4', need (4) spikes for 6', need (1) spike per End Cap



Speed Humps

- Recycled Rubber - won't crack, warp or decay
- Withstands temp. extremes, oil & moisture Need (6) spikes for Mini Hump Need (4) spikes for each Male and Female End Cap



Item #	Description
2049PB	4' - Black Rubber w/ yellow reflective stripes
2050PB	6' Black Rubber w/ yellow reflective stripes
2053S	14" Galvanized Spike (5" dia.)

Item #	Description
2054SB	4' - Black Rubber w/ yellow reflective stripes
2055SB	6' - Black Rubber w/ yellow reflective stripes
2055SB-D	6' - Black Rubber w/ yellow reflective strips & (2) 1/25" underside channels
2055CAP-D	End Cap for #2055SB-D
2055CAP	End Cap for #2056SB, 2054SB & 2055SB
2053S	14" Galvanized Spike (5" dia.)

Item #	Description
2044SH	Mini Speed Hump (24"L x 36"W x 2.4"H)
2042ECM	End Cap - Male (35.5"L x 17.5"W x 2.1"H)
2043ECF	End Cap - Female (35.5"L x 17.5"W x 2.1"H)
2053S	14" Galvanized Spike

WHEEL CHOCKS



Features:

- Immobilizes Wheels
- Withstands adverse weather
- Easy to use
- Highly visible
- Maximum durability
- Skid protection

Wheel Chocks



Item

Description

2048WC-B6E	Medium 6" Black, hollow single unit w/ eye hook & rope (8.5"L x 6"W x 5.75"H)
2048WC-O9E	Medium 6" Orange, hollow single unit w/ eye hook & rope (8.5"L x 6"W x 5.75"H)
2048WC-B6R	Medium 6" Black, solid single unit w/ eye hook & rope (8.5"L x 6"W x 5.75"H)
2048WC-O6R	Medium 6" Orange, solid single unit w/ eye hook & rope (8.5"L x 6"W x 5.75"H)
2048WC-B7E	Large 7" Black, hollow single unit w/ eye hook & rope (10.5"L x 7"W x 7.75"H)
2048WC-O7E	Large 7" Orange, hollow single unit w/ eye hook & rope (10.5"L x 7"W x 7.75"H)
2048WC-B7R	Large 7" Black, solid single unit w/ eye hook & rope (10.5"L x 7"W x 7.75"H)
2048WC-O7R	Large 7" Orange, solid single unit w/ eye hook & rope (10.5"L x 7"W x 7.75"H)
2048WC	Wheel Chocks w/ eye-bolt (10"L x 8"W x 6"H)
2048WCC	Wheel Chocks w/ eye-bolt and 12' 10lb chain (10"L x 8"W x 6"H)
2048EC	12' 10lb Jack Chain w/ quicklink

AIRPORT ACCESSORIES



Features:

Aircraft Chocks



Item #	Description
2083-B	Aircraft chock w/ glow & reflectors, Black (23.5"L x 8"W x 6"H)
2083-O	Aircraft chock w/ glow & reflectors, Orange (23.5"L x 8"W x 6"H)
2048WC-6	Medium Wheel Chock (8.5"L x 6"W x 5.75"H)
2048WC-7	Large Wheel Chock (10.5"L x 7"W x 7.75"H)

LED Batons



Item #	Description
03-300	12" w/4-Way switch (Steady Burn/ Slow Flash/ Fast Flash/ Off) w/ belt clip, uses (2) C-Cell batteries (not included)
03-301	9" w/ 3-Way switch (Steady Burn/ Fast Flash/ Off) w/ belt clip, uses (2) C-Cell batteries (not included)
03-303	12" w/ 3-Way switch (Steady Burn/ Fast Flash/ Off) w/ belt clip, uses (2) D-Cell batteries (not included)

Windsocks



Item #	Description
03-WS-3	3" Windsock only (10" Opening)
03-WS-FO3	3" Windsock Frame only (10" Opening)
03-WS-3KT	3" Windsock and Frame Kit (10" Opening)
03-WS-4	4' Windsock only (18" Opening)
03-WS-4KT	4' Windsock and Frame Kit (18" Opening)
03-WS-8	8' Windsock only (18" Opening)
03-WS-8KT	8' Windsock and Frame Kit (18" Opening)
03-WS-FO	4'-8' Windsock Frame only (18" Opening)

Wing Tip Markers



Item #	Description
03-766-2	Airport Winglet Barrier System (2 Guardian Posts, Bases, Flags, and 1 White PVC Tube)
03-766-3	Airport Winglet Barrier System (3 Guardian Posts, Bases, Flags, and 2 White PVC Tube)
03-824W-3-HI	8" White PVC Tube 1-1/2 Diameter W (2) White Rings, HIP Sheeting
03-752-30	30 lb Rectangular Rubber Base (7.75" hole)
03-766H-HI	Grip N Go 45" Lime Holed with HI Sheeting and Hardware

WARNING FLAGS & PENNANTS



Features:

Flags*



Item #	Description
03-229-3406	18" x 18" Orange Mesh Flag w/ 24" Wood Dowel
03-229-3407	18" x 18" Orange Mesh Flag w/ 30" Wood Dowel
03-229-3408	24" x 24" Orange Vinyl Flag w/ 30" Wood Dowel
03-229-3409	24" x 24" Orange Mesh Flag w/ 30" Wood Dowel
03-229-3417	18" x 18" Orange Vinyl Flag w/ 24" Wood Dowel
03-229-3404	18" x 18" Orange Vinyl Flag w/ 30" Wood Dowel
03-229-3405	18" x 18" Orange Vinyl Flag w/ 36" Wood Dowel
03-229-3410	24" x 24" Orange Mesh w/ 36" Wood Dowel
03-229-3418	24" x 24" Orange Vinyl w/ 36" Wood Dowel
03-229-3424	18" x 18" Bright Red Vinyl Flag w/ 24" Wood Dowel
03-229-3440	24" x 24" Bright Red Vinyl Flag w/ 36" Wood Dowel
03-229-3423	36" x 36" Orange/White Nylon Airport Flag, no dowel

Pennants




Item #	Description
03-407	60' Red DANGER
03-400-60	60' Red
03-401-60	60" Red / White Vinyl
03-402-60	60' Orange
03-405-60	60' Yellow
03-406	60' Red/Yellow Alternating legends: Danger Keep Out / Safety First / Danger Ahead / Be Careful / Safety Always
03-403-60	60' Multi
03-400	100' Red
03-401	100' Red / White
03-402	100' Orange
03-403	100' Multi
03-405	100' Yellow
03-400-105	105' Red - OSHA
03-405-105	105' Yellow - OSHA
03-407-105	105' Red / Yellow - OSHA


*50 per case



LAMBA SYSTEMS



LAMBA FLOOR CONES



Features:

- 100% impact resistant Polyethylene
- UV inhibitors to resist fading
- 4-sided messages
- Available in two height options: 25"H & 36"H

Lamba Cones

Item # Description

25" Lamba Cone

- 03-600-12 Yellow - Plain
- 03-600-12CAU Yellow - Caution
- 03-600-12WG Yellow - Caution Wet Floor
- 03-600-07 Yellow - Caution Wet Floor (English/Spanish)
- 03-600-06 Yellow - Caution Safety First
- 03-600-121BL Black - Slippery When Wet
- 03-600-120BL Black - Watch Out For Falling Ice
- 03-600-121B Blue - Slippery When Wet
- 03-600-120B Blue - Watch Out For Falling Ice
- 03-600-121G Grey - Slippery When Wet
- 03-600-120G Grey - Watch Out For Falling Ice

36" Lamba Cone

- 03-600-00 Plain
- 03-600-11A Yellow - Caution
- 03-600-03 Yellow - Caution Floor May Be Slippery
- 03-600-04 Yellow - Caution Safety First
- 03-600-01 Yellow - Caution Safety First (English/Spanish)
- 03-600-10 Yellow - Caution Slippery (English/French)
- 03-600-08 Yellow - Caution Wet Floor
- 03-600-09 Yellow - Caution Wet Floor (English/Spanish)

36" Lamba

25" Lamba



Item # Description

36" Lamba Cone

- 13-600-36L Lime - Plain
- 13-600-36O Orange - Plain
- 03-600-44 Yellow - Caution Wet Floor (English/Japanese)
- 03-600-02 Yellow - Danger People Working Above
- 03-600-11 Yellow - No Parking Yellow - "Restricted Area" (English/Spanish)
- 03-600-49 Orange - Caution Wet Floor
- 03-600-05 Lime - Caution Wet Floor (English/Spanish)
- 03-600-09L Black - Slippery When Wet
- 03-600-101BL Black - Watch Out For Falling Ice
- 03-600-101B Blue - Slippery When Wet
- 03-600-100B Blue - Watch Out For Falling Ice
- 03-600-101G Grey - Slippery When Wet
- 03-600-100G Grey - Watch Out For Falling Ice



** ADDITIONAL LEGENDS AVAILABLE**

LAMBA SAFETY CONES



Features:

- 100% impact resistant Polyethylene
- UV inhibitors to resist fading
- 4-sided messages
- Available in two height options: 25"H & 36"H

Lock-In Signs

Item #	Description
03-600-31	Lock-In Sign (8" x8"), Red-Plain
Message Labels	
03-600-19	Yellow - Plain
03-600-20	Yellow - Slippery
03-600-21	Black & Red on Yellow - Watch Your Step w/ Fall Symbol
03-600-22	Black on Yellow - Restroom Closed No Entry
03-600-23	Black on Yellow - Wet Floor Please Walk to the Right
03-600-24	Black on Yellow - Wet Floor Please Walk to the Left
03-600-25	Black on red on Yellow - Caution Wet Floor
03-600-26	Black on Yellow - Wet Floor (<i>English/Spanish</i>)



Ring Weights



Item #	Description
03-600-29	7 lbs Black Metal Ring Weight for 25" Lamba (10x10")
03-600-30	9 lbs Black Metal Ring Weight for 36" Lamba (12" x 12")

Chains



Item #	Description
03-600-27	Yellow Plastic Chain, 2" x 20' L
03-600-28	Yellow Plastic Chain, 2" x 100' L

**** SEE PRICE LIST OR CALL FOR ADDITIONAL OPTIONS****

LAMBA FLOOR STANDS



Features:

- Meets MUTCD Specifications
- 100% impact resistant Polyethylene
- Lock-In technology
- NCHRP-350 Certified
- 4-sided caution messages
- Folds down to 3"W

Lamba Floor Stand



Item #	Description	Item #	Description
03-600-33	Plain w/ Levers	03-600-14-2	No Entry Restroom Closed
03-600-33-01	Plain w/ Caution Levers	03-600-36-01	Wet Floor/Attention Placher Mouille Floor Stand
03-600-34	Caution Wet Floor	03-600-36-02	Wet Floor Cuidado Piso Mojado w/ Falling Logo
03-600-35	Wet Floor Walk Left/Right	03-600-51	Caution Hazardous Area
03-600-36	Wet Floor Cuidado Piso Mojado	03-600-52	Caution Wet Paint
03-600-37	No Entry Restroom Closed	03-600-53	Caution Do Not Enter
03-600-38	Caution Watch Your Step	03-600-54	Caution Watch Your Step/ Precaucion Cami
03-600-41	Out of Service	03-600-54-01	Caution Watch Your Step/ Attn-attn A La Marche
03-600-43	Caution	03-600-55	Caution No Entry/Precaucion No Entrar
03-600-50	Caution Wet Floor w/ fall symbol	03-600-56	Caution Men Working Above w/ Images
03-600-57	Warning Silica Work Area	03-600-58	Caution People Working Above
		03-600-78	Caution, Spill Cleanup In Process Stay Clear
		03-600-60L	Lime "Kids at Play"
		03-600-60Y	Yellow "Kids at Play"

** SEE PRICE LIST OR CALL FOR ADDITIONAL OPTIONS**

WARNING LIGHTS



Features:

Low Profile Teardrop Strobe



Item # Description
 22-56525 Teardrop Rotating Halogen Strobe, Amber, 12V Magnetic Mount

Pulsator LED



Item #	Description
22-56530	Pulsator LED, Amber, Tall Dome, 12-24V Permanent Mount
22-56531	Pulsator LED, Amber, Tall Dome, 12-24V Suction Cup Magnetic Mount
22-56533	Pulsator LED, Amber, Short Dome, 12-24V Permanent Mount
22-56534	Pulsator LED, Amber, Short Dome, 12-24 V Suction Cup Magnetic Mount

Fire Bolt LED



Item # Description
 22-56532 Fire Bolt LED, Amber, 12-24V Magnetic Mount

Sentry Halogen Beacon



Item # Description
 22-56535 Sentry Rotating Halogen, Amber, 12VDC Magnetic Mount

Ultra Star LED



Item # Description
 22-56536 Ultra Star LED, Amber, 12-24V Magnetic Mount

WARNING KITS



Features:

Warning Kits are perfect for any roadside emergency.

Warning Kits



Item #	Description
95-04-001-02	Fleet Safety Kit: (3) Triangles, (1) fire extinguisher, (3) 20-min light sticks in metal case
95-04-002	Fleet Safety Kit: (3) Triangles, (3) 20 min fuses (3) 20-min light sticks in metal case
95-04-004	Fleet Safety Kit: (3) Triangles, (1) 2.5lb fire extinguisher, (3) 20-min fuses in metal case
95-06-03	Motorist Safety Kit: (1) Triangle (2) 20-min light sticks, (1) Orange Safety Vest in Silk Bag
95-07-20	(72) 20-min Fuses w/spike (80 cases/pallet)
95-07-21	(72) 20-min Fuses w/out spike (80 cases/pallet)
95-07-22	(72) 20-min Fuses w/ wire stand (80 cases/pallet)
95-07-30	(36) 30-min Fuses w/ spike (98 cases/pallet)
95-07-31	(36) 30-min Fuses w/out spike (98 cases/pallet)
95-07-32	(36) 30-min Fuses w/ wire stand (98 cases/pallet)
95-07-57	Roadside Emergency Kit (79 pieces)
95-07-58	The Emergency Highway Flare Kit "Plus" (19 pieces)
95-07-61	Premium Roadside Flare Emergency Kit (60 pieces)
95-07-65	Delux 5 Flare Roadside Emergency Kit (105 pieces)

Triangles & Fusee Holders



Item #	Description
95-02-001	Single (1) Triangle
95-03-009	(3) Triangles in Red Box (144 kits/pallet)
95-03-010	(3) Triangles in Red Box - 3 Pack (144 kits/pallet)
95-07-003	Fusee Holder Case, blow-molded (holds 12 20-min fusees)
95-07-004	Fusee Holder Case, blow-molded (holds (16) 30-min fusees)
95-07-005	Metal Carrying Holder (holds (3) 20-min fusees)


ROLLED GOODS



Features:

Temporary Pavement Marking Tape


- Available in Engineer and Construction Grade



Item #	Description
03-10-103	EG - 4" x 50 yards - White
03-10-104	EG - 4" x 50 yards - Yellow
03-10-105	CG - 4" x 50 yards - White
03-10-106	CG - 4" x 50 yards - Yellow
03-10-107	CG - 4" x 100 yards - Yellow
03-10-108	CG - 4" x 100 yards - White

Barricade Tape

- Available in Engineer Grade and Hi-Intensity Prismatic Sheeting



Item #	Description
03-10-008-04-1	HIP - 8" x 50 yards - 4" Left Stripes (100 sq. ft.)
03-10-008-05-1	HIP - 8" x 50 yards - 4" Right Stripes (100 sq. ft.)
03-10-008-06-1	HIP - 12" x 50 yards - 4" Left Stripes (150 sq. ft.)
03-10-008-07-1	HIP - 12" x 50 yards - 4" Right Stripes (150 sq. ft.)
03-10-008-19-1	EG - 8" x 50 yards - 4" Left Stripes (150 sq. ft.)
03-10-008-20-1	EG - 8" x 50 yards - 4" Right Stripes (150 sq. ft.)
03-10-008-21-1	EG - 12" x 50 yards - 4" Left Stripes (150 sq. ft.)
03-10-008-22-1	EG - 12" x 50 yards - 4" Right Stripes (150 sq. ft.)
03-10-008-38-1	EG - 6" x 50 yards - 4" Left Stripes (75 sq. ft.)
03-10-008-39-1	EG - 6" x 50 yards - 4" Right Stripes (75 sq. ft.)

Barrel/Channelizer Tape

- Available in Engineer Grade and Hi-Intensity Prismatic Sheeting



Item #	Description
03-500-100-2	HIP - 4" x 200 yards - White (200 sq. ft.)
03-500-98-2	HIP - 4" x 200 yards - Orange (200 sq. ft.)
03-500-103-2	HIP - 6" x 200 yards - Orange (300 sq. ft.)
03-500-104-2	HIP - 6" x 200 yards - White (300 sq. ft.)
03-500-107-2	EG - 4" x 200 yards - Orange (200 sq. ft.)
03-500-108-2	EG - 4" x 200 yards - Orange (200 sq. ft.)
03-500-109-2	EG - 6" x 200 yards - Orange (300 sq. ft.)
03-500-110-2	EG - 6" x 200 yards - White (300 sq. ft.)

(EG) Engineer Grade Sheeting (HIP) Hi-Intensity Prismatic Sheeting (DG) Diamond Grade Sheeting

PALLET TOPPERS



Features:

- 100% impact resistant
- Polyethylene UV inhibitors to resist fading
- Bright colors for easy visibility
- Top hole as a paper holder
- Prong Holder for additional paperwork

Pallet Topper



Item #	Description
03-500-828-B	Pallet Topper - Blue
03-500-828-G	Pallet Topper - Green
03-500-828-O	Pallet Topper - Orange
03-500-828-R	Pallet Topper - Red
03-500-828-Y	Pallet Topper - Yellow
03-500-828-BLK	Pallet Topper - Black
03-500-828-P	Pallet Topper - Purple
03-500-828-W	Pallet Topper - White



Prong holder



Paper holder

Kentucky Cleaning Solutions, LLC, DBA

BLUEGRASS 

JAN/SAN & PAPER SUPPLIES

FRANKFORT, KY

roland@bluegrass-ky.com

502-382-8320



www.bluegrassjanitorial.com

502-382-8320